

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018									
PART	SPEC	Approx quantity for year 2018	Unit	Cost					
FIRE HYDRANT	6" bury hydrant with auxiliary valve attached								
	The hydrant shall be American Flow Control's Watious Pacer Hydrant Traffic Model WB-67-250. The hydrants shall come painted, with the nozzle section painted Watious Standard red - M4104. The hydrant shall have a 6-inch internal connection, and a 6-inch flanged base connection. The Village of Oak Park requires two 2 1/2" hose nozzles with one 4" pumper nozzle with no cap chains. The nozzles shall open counter clockwise. The bury depth shall be 8'-0".	15	ea	2,785.-					
	The auxiliary valve shall be the American Flow Control's 6-inch diameter Resilient Wedge Gate Valve rated for 250 p.s.i.g. cold water working pressure, have a ductile iron body with a modified wedge disc, have flanged and mechanical joint ends, and be a non-rising stem type valve. The valve shall be manufactured in accordance with AWWA Standard C515. Both mechanical joint ends shall comply with AWWA Standard C111 and ANSI Standard A21.11 specifications. Epoxy coatings shall comply with AWWA C550.								
CUT-IN SLEEVE									
6"	MJ w/duck lip gasket with bolts	25	ea	567.-					
WATER MAIN REPAIR SLEEVE	Full circle stainless steel cast/ductile O.D. range - sizes may vary depending on manufacturer								
Smith & Blair Preferred									
4"x12"		2	ea	62.-					
6" x 8"		5	ea	46.75					
6" x 12"		5	ea	74.50					
6" x 15"		5	ea	82.-					
6"x30"		2	ea	183.-					

Joe Danno 815-405-6745
 @
 Mid American Water

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018				
PART	SPEC	Approx quantity for year 2018	Unit	Cost
8" x 8"		2 ea		55.-
8" x 12"		5 ea		88.-
8" x 15"		5 ea		100.-
8" x 30"		2 ea		215.-
8" x 20"		4 ea		147.-
10" x 8"		5 ea		84.-
10" x 12"		5 ea		118.-
10" x 15"		5 ea		136.-
12" x 8"		5 ea		95.-
12" x 12"		2 ea		137.-
12" x 15"		2 ea		155.-
16" x 20"		5 ea		358.-
16" x 30"		2 ea		655.-
16" x 30"		2 ea		932.-
Abandon Service Sleeve	Full circle stainless steel - Rober 8638AS or approved equal. Bolt bracket style			
6" - 3" outlet		2 ea		373.-
8" - 3" outlet		2 ea		386.-
10" - 3" outlet		2 ea		399.-
12" - 3" outlet		2 ea		419.-
6" - 4" outlet		2 ea		422.-
8" - 4" outlet		2 ea		430.-
10" - 4" outlet		2 ea		439.-
12" - 4" outlet		2 ea		461.-
WATERMAN TAPPING SLEEVE				

Joe Danno 815-405-6745
 @
 Mid American Water

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018							
PART	SPEC	Approx quantity for year 2018	Unit	Cost			
	Full circle stainless steel cast/ductile O.D. range - sizes may vary depending on manufacturer						
6" x 8" - 1" tap		15	ea	128.-			
6" x 12" - 1" tap		10	ea	96.-			
8" x 7" - 1.5" tap		10	ea	74.50			
8" x 12" - 1.5" tap		10	ea	103.-			
8" x 12" - 2" tap		10	ea	110.-			
8" x 6" - 1" tap		5	ea	76.-			
8" x 12" - 1" tap		5	ea	106.-			
8" x 15" - 1" tap		5	ea	118.-			
8" x 7" - 1.5" tap		5	ea	80.-			
8" x 12" - 1.5" tap		10	ea	113.-			
8" x 12" - 2" tap		10	ea	117.-			
10" x 12" - 1" tap		2	ea	135.-			
10" x 15" - 1" tap		2	ea	152.-			
10" x 12" - 1.5" tap		2	ea	141.-			
10" x 12" - 2" tap		2	ea	169.-			
12" x 7" - 1" tap		5	ea	119.-			
12" x 12" - 1" tap		5	ea	159.-			
12" x 12" - 1.5" tap		5	ea	177.-			
12" x 12" - 2" tap		5	ea	181.-			
16" x 20" - 1" tap		2	ea	494.-			
16" x 20" - 1.5" tap		2	ea	501.-			
16" x 12" - 2" tap		2	ea	365.-			
16" x 20" - 2" tap		2	ea	509.-			
VALVE BOXES							

Joe Danno 815-405-6745
 @
 Mid American Water

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018							
PART	SPEC	Approx quantity for year 2018	Unit	Cost			
	two (2) piece - 5 1/4 shaft screw type						
complete box		20	ea	149.-			
standard 5 1/4 drop lid		10	ea	17.-			
BRASS							
	full ball valve - Mueller compression fittings						
1"		40	ea	N.D.			
1.5"		20	ea	I			
2"		10	ea				
BRASS Continued							
	full ball valve - Mueller compression fittings						
1"		40	ea	N.D.			
1.5"		20	ea	I			
2"		10	ea				
LEAD PACKS							
	Ford Fittings						
5/8" S x 1" copper		5	ea	24.75			
3/4" XS x 1" copper		5	ea	30.75			
3/4" XS BEND x 1" copper		10	ea	-			
1" XXS x 1" copper		5	ea	38.-			
1" XS BEND x 1" copper		5	ea	-			
1.5" XS x 1.5" copper		5	ea	71.-			

Joe Danno 815-405-6745
 @
 Mid American Water

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018					
PART	SPEC	Approx quantity for year 2018	Unit	Cost	
1.5" XS BEND x 1.5" copper		5	ea	-	
2" XS x 2" copper		5	ea	115.-	
COPPER TUBING					
	copper will be in rolls TYPE K				
1"	per foot* (60 ft rolls)	800	ea	4.25	
1.5"	per foot* (60 ft rolls)	500	ea	7.80	
2"	per foot* (48 ft rolls)	200	ea	10.95	
B-BOXES					
	plastic or adjustable 50" - 84" with threaded bushing	75	ea	86.-	
	Minneapolis Style				
	2" x 1.5" Black Hex Bushing	75	ea	2.-	
SEWER PIPE					
	per foot				
6"	SDR -26 ASTM - 3034	300	LF	3.10	
8"	SDR -26 ASTM - 3034	100	LF	5.25	
10"	SDR -26 ASTM - 3034	50	LF	8.15	
12"	SDR -26 ASTM - 3034	50	LF	11.85	
RUBBER SEWER REPAIR COUPLINGS					
6"	clay to plastic or CI	40	ea	17.-	

Joe Danno 815-405-6745
 @
 Mid American Water

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018									
PART	SPEC	Approx quantity for year 2018	Unit	Cost					
6"	plastic to plastic or CI	20	ea	17.-					
8"	clay to plastic or CI	20	ea	24.-					
8"	plastic to plastic or CI	10	ea	24.-					
10"	clay to plastic or CI	10	ea	29.-					
10"	plastic to plastic or CI	10	ea	29.-					
12"	clay to plastic or CI	10	ea	37.-					
12"	plastic to plastic or CI	10	ea	37.-					
	Planned purchase orders for each vendor for 2018								
	2018 budgeted parts amount \$100,000								

Joe Danno @
Mid American Water

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018				WATER PRODUCTS Company			
PART	SPEC	Approx quantity for year 2018	Unit	Cost			
FIRE HYDRANT	6" bury hydrant with auxiliary valve attached						
	The hydrant shall be American Flow Control's Waterous Pacer Hydrant Traffic Model WB-67-250. The hydrants shall come painted, with the nozzle section painted Waterous Standard red - M4104. The hydrant shall have a 6-inch internal connection, and a 6-inch flanged base connection. The Village of Oak Park requires two 2 1/4" hose nozzles with one 4" pumper nozzle with no cap chains. The nozzles shall open counter clockwise. The bury depth shall be 6'-0".	15	ea	\$3,037.00			
	The auxiliary valve shall be the American Flow Control's 6-inch diameter Resistent Wedge Gate Valve rated for 250 p.s.i.g. cold water working pressure, have a ductile iron body with a modified wedge disc, have flanged end mechanical joint ends, and be a non-rising stem type valve. The valve shall be manufactured in accordance with AWWA Standard C515. Both mechanical joint ends shall comply with AWWA Standard C111 and ANSI Standard A21.11 specifications. Epoxy coatings shall comply with AWWA C550.						
CUT-IN SLEEVE							
6"	MJ w/duck lip gasket with bolts	25	ea	N/A			
WATER MAIN REPAIR SLEEVE	Full circle stainless steel cast/ductile O.D. range - sizes may vary depending on manufacturer (Cascade)						
Smith & Blaire Preferred							
4" x 12"		2	ea	\$89.75			
6" x 8"		5	ea	\$70.25			
6" x 12"		5	ea	\$107.25			
6" x 15"		5	ea	\$138.50			
6" x 30"		2	ea	\$310.50			
8" x 8"		2	ea	\$79.25			
8" x 12"		5	ea	\$125.85			
8" x 15"		5	ea	\$158.00			
8" x 30"		2	ea	\$331.50			
8" x 20"		4	ea	\$208.75			
10" x 8"		5	ea	\$105.00			
10" x 12"		5	ea	\$173.00			
10" x 15"		5	ea	\$217.00			

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018

PART	SPEC	Approx quantity for year 2018	Unit	Cost					
10" x 12" - 1.5" tap		2	ea	\$209.50					
10" x 12" - 2" tap		2	ea	\$218.00					
12" x 7" - 1" tap		5	ea	\$145.25					
12" x 12" - 1" tap		5	ea	\$216.50					
12" x 12" - 1.5" tap		5	ea	\$228.50					
12" x 12" - 2" tap		5	ea	\$232.75					
16" x 20" - 1" tap		2	ea	\$552.25					
16" x 20" - 1.5" tap		2	ea	\$565.20					
16" x 12" - 2" tap		2	ea	\$399.87					
16" x 20" - 2" tap		2	ea	\$588.50					
VALVE BOXES									
	two (2) piece - 5 1/4 shaft screw type								
complete box		20	ea	\$144.00					
standard 5 1/4 drop lid		10	ea	\$11.50					
BRASS									
roundways									
	full ball valve - Mueller compression fittings								
1"		40	ea	\$80.40					
1.5"		20	ea	\$188.51					
2"		10	ea	\$288.10					
BRASS Continued									
corporation cocks									
	full ball valve - Mueller compression fittings								
1"		40	ea	\$48.40					
1.5"		20	ea	\$188.50					
2"		10	ea	\$178.45					

ZIEBELL WATER SERVICE PRODUCTS 2018

ZIEBELL BIL

PART	SPEC	Approx quantity for year 2018	Unit	Cost
FIRE HYDRANT	6' bury hydrant with auxillary valve-attached			
	The hydrant shall be American Flow Control's Waterous Pacer Hydrant Traffic Model WB-67-250. The hydrants shall come painted, with the nozzle section painted Waterous Standard red - M4104. The hydrant shall have a 6-inch internal connection, and a 6-inch flanged base connection. The Village of Oak Park requires two 2 1/2" hose nozzles with one 4" pumper nozzle with no cap chains. The nozzles shall open counter clockwise. The bury depth shall be 6'-0".	15	ea	3100.00
	The auxillary valve shall be the American Flow Control's 6-inch diameter Resilient Wedge Gate Valve rated for 250 p.s.i.g. cold water working pressure, have a ductile iron body with a modified wedge disc, have flanged and mechanical joint ends, and be a non-rising stem type valve. The valve shall be manufactured in accordance with AWWA Standard C515. Both mechanical joint ends shall comply with AWWA Standard C111 and ANSI Standard A21.11 specifications. Epoxy coatings shall comply with AWWA C550.			
CUT-IN SLEEVE				
6"	MJ w/duck tip gasket with bolts	25	ea	479.95
WATER MAIN REPAIR SLEEVE				
	Full circle stainless steel cast/ductile O.D. range - sizes may vary depending on manufacturer			
Smith & Blaire Preferred				
4"x12"		2	ea	66.95
6" x 8"		5	ea	51.69
		5	ea	83.95

Ziebell Co. 2018

PART	SPEC	Approx quantity for year 2018	Unit	Cost
	Full circle stainless steel cast/ductile O.D. range - sizes may vary depending on manufacturer			
6" x 8" - 1" tap		15	ea	71.67
6" x 12" - 1" tap		10	ea	181.00
6" x 7" - 1.5" tap		10	ea	76.00
6" x 12" - 1.5" tap		10	ea	110.00
6" x 12" - 2" tap		10	ea	115.00
8" x 8" - 1" tap		5	ea	79.00
8" x 12" - 1" tap		5	ea	114.00
8" x 15" - 1" tap		5	ea	132.00
8" x 7" - 1.5" tap		5	ea	86.00
8" x 12" - 1.5" tap		10	ea	125.00
8" x 12" - 2" tap		10	ea	128.00
10" x 12" - 1" tap		2	ea	145.00
10" x 15" - 1" tap		2	ea	165.00
10" x 12" - 1.5" tap		2	ea	155.00
10" x 12" - 2" tap		2	ea	160.00
12" x 7" - 1" tap		5	ea	115.00
12" x 12" - 1" tap		5	ea	170.00
12" x 12" - 1.5" tap		5	ea	180.00
12" x 12" - 2" tap		5	ea	185.00
16" x 20" - 1" tap		2	ea	599.00
16" x 20" - 1.5" tap		2	ea	610.00
16" x 12" - 2" tap		2	ea	400.00
16" x 20" - 2" tap		2	ea	620.00

6x30 \$ 210.00 Ziebell 2018

PART	SPEC	Approx quantity for year 2018	Unit	Cost
8" x 8"		2	ea	61.75
8" x 12"		5	ea	97.75
8" x 15"		5	ea	111.25
8"x30"		2	ea	243.25
8" x 20"		4	ea	163.85
10" x 8"		5	ea	79.25
10" x 12"		5	ea	122.60
10" x 15"		5	ea	146.00
12" x 8"		5	ea	94.50
12" x 12"		2	ea	151.50
12" x 15"		2	ea	170.00
16" x 20"		5	ea	534.00
16" x 30"		2	ea	825.00
18" x 30"		2	ea	995.00
Abandon Service Sleeve	Full circle stainless steel - Robar 6636AS or approved equal. Bolt bracket style			
6" - 3" outlet		2	ea	475.-
8" - 3" outlet		2	ea	495.-
10" - 3" outlet		2	ea	499.-
12" - 3" outlet		2	ea	529.-
6" - 4" outlet		2	ea	589.-
8" - 4" outlet		2	ea	597.-
10" - 4" outlet		2	ea	615.-
12" - 4" outlet		2	ea	634.-

Ziebell Co.

PART	SPEC	Approx quantity for year 2018	Unit	Cost
	two (2) piece - 5 1/4 shaft screw type			
complete box		20	ea	149.00
standard 5 1/4 drop lid		10	ea	12.75
BRASS				
roundways	full ball valve - Mueller compression fittings			
	B25155			
1"		40	ea	93.75
1.5"		20	ea	207.25
2"		10	ea	305.20
BRASS Continued				
corporation cocks	full ball valve - Mueller compression fittings			
	B25008			
1"		40	ea	54.80
1.5"		20	ea	123.00
2"		10	ea	203.60
LEAD PACKS	Ford Fittings			
5/8" S x 1" copper		5	ea	53.89
3/4" XS x 1" copper		5	ea	49.50
3/4" XS BEND x 1" copper		10	ea	No Bid

Ziebell Co. 2018

PART	SPEC	Approx quantity for year 2018	Unit	Cost
1.5" XS BEND x 1.5" copper		5	ea	No Bid
2" XS x 2" copper		5	ea	144.95
COPPER TUBING	copper will be in rolls TYPE K			
1"	per foot* (60 ft rolls)	900	ea	5.80
1.5"	per foot* (60 ft rolls)	600	ea	7.30
2"	per foot* (40 ft rolls)	200	ea	12.40
B-BOXES				
plastic or adjustable 50" - 84" with threaded bushing		75	ea	41.25
Minneapolis Style				
2" x 1.5" Black Hex Bushing		75	ea	2.00
SEWER PIPE	per foot			
6"	SDR -26 ASTM - 3034	300	LF	3.14
8"	SDR -26 ASTM - 3034	100	LF	5.25
10"	SDR -26 ASTM - 3034	50	LF	8.45
12"	SDR -26 ASTM - 3034	50	LF	12.49

Ziebell Co. 2018

PART	SPEC	Approx quantity for year 2018	Unit	Cost
6"	plastic to plastic or CI	20	ea	8.49
8"	clay to plastic or CI	20	ea	13.49
8"	plastic to plastic or CI	10	ea	13.49
10"	clay to plastic or CI	10	ea	22.75
10"	plastic to plastic or CI	10	ea	22.75
12"	clay to plastic or CI	10	ea	24.50
12"	plastic to plastic or CI	10	ea	24.50
Planned purchase orders for each vendor for 2018				
2018 budgeted parts amount \$100,000				

Thank you!
 01-16-2018
 Ziebell Co.
 Robert M. [Signature]

Core and Main Bid

VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for 2018				CORE and Main Inc.			
PART	SPEC	Approx quantity for year 2018	Unit	Cost			
FIRE HYDRANT	6" bury hydrant with auxiliary valve attached						
	The hydrant shall be American Flow Control's Waterous Pacer Hydrant Traffic Model WB-67-250. The hydrant shall come painted, with the nozzle section painted Waterous Standard red - M4104. The hydrant shall have a 6-inch internal connection, and a 6-inch flanged base connection. The Village of Oak Park requires two 2 1/2" hose nozzles with one 4" pumper nozzle with no cap chains. The nozzles shall open counter clockwise. The bury depth shall be 6'-0".	15	ea	\$3,050.00			
	The auxiliary valve shall be the American Flow Control's 6-inch diameter Resilient Wedge Gate Valve rated for 250 p.s.i.g. cold water working pressure, have a ductile iron body with a modified wedge disc, have flanged and mechanical joint ends, and be a non-rising stem type valve. The valve shall be manufactured in accordance with AWWA Standard C515. Both mechanical joint ends shall comply with AWWA Standard C111 and ANSI Standard A21.11 specifications. Epoxy coatings shall comply with AWWA C550.						
CUT-IN SLEEVE							
6"	MJ w/duck lip gasket with bolts	25	ea	\$485.00			
WATER MAIN REPAIR SLEEVE	Full circle stainless steel cast/ductile O.D. range - sizes may vary depending on manufacturer						
Smith & Blaire Preferred							
4"x12"		2	ea	\$88.70			
6" x 6"		5	ea	\$52.20			
6" x 12"		5	ea	\$83.70			
6" x 15"		5	ea	\$92.10			
6"x30"		2	ea	\$206.85			
8" x 8"		2	ea	\$61.05			
8" x 12"		5	ea	\$98.00			
8" x 15"		5	ea	\$112.10			
8"x30"		2	ea	\$245.00			
8" x 20"		4	ea	\$162.60			
10" x 8"		5	ea	\$79.45			
10" x 12"		5	ea	\$124.35			
10" x 15"		5	ea	\$144.30			

**VILLAGE OF OAK PARK WATER and SEWER PART PRICE QUOTE LIST for
2018**

PART	SPEC	Apprx quantity for year 2018	Unit	Cost
10" x 12" - 1.5" tap		2	ea	\$160.00
10" x 12" - 2" tap		2	ea	\$160.00
12" x 7" - 1" tap		5	ea	\$113.00
12" x 12" - 1" tap		5	ea	\$169.55
12" x 12" - 1.5" tap		5	ea	\$175.90
12" x 12" - 2" tap		5	ea	\$181.90
16" x 20" - 1" tap		2	ea	\$525.00
16" x 20" - 1.5" tap		2	ea	\$540.00
18" x 12" - 2" tap		2	ea	\$360.00
16" x 20" - 2" tap		2	ea	\$540.00
VALVE BOXES				
	two (2) piece - 5 1/4 shaft screw type			
complete box		20	ea	\$165.00
standard 5 1/4 drop lid		10	ea	
BRASS				
roundways	full ball valve - Mueller compression fittings			
1"		40	ea	\$92.85
1.5"		20	ea	\$205.45
2"		10	ea	\$302.60
BRASS Continued				
corporation cocks	full ball valve - Mueller compression fittings			
1"		40	ea	\$54.16
1.5"		20	ea	\$122.00
2"		10	ea	\$201.80

