

Concrete, Stone, Sand Materials Bid Tab Sheet 2017

For the Village of Oak Park

Material	HJ Mohr	Prairie Materials	Ozinga	Beemsterboer Aggregates					
Concrete per cubic yard									
5 bag mix (3000 psi) or equivalent	\$131	\$129	\$130						
6 bag mix (4000 psi) or equivalent	\$137	\$136	\$138						
7 bag mix (5000 psi) or equivalent	\$143	\$143	\$146						
Winter service per cy	\$8	\$10	\$10						
Saturday Delivery per cy	\$0	\$0	\$80 (per load)						
Waiting time	\$2 per min after 6 min/cy	\$2 per min	\$2.50 per min after 60 min						
Fuel surcharge per load	\$5	\$0	Variable						
Environmental charge per cy	\$0	\$3	\$3						
Minimum load charge 5 cy and under	\$0	\$0	\$0						
Sand / Stone per ton			3/4" - \$17.00 per ton						
3/4" & grade 8	\$26.00 per ton pick up	\$17.00 per ton pick up	Gr. #8 - \$8.25 per ton	\$16.00 per ton delivered					
#2 sand	\$24.00 per ton pick up	\$17.00 per ton pick up	\$26.00 per ton (Cartage-\$8.50)	\$15.50 per ton delivered					
Cartage - cost per load		\$105/hour show up time,							
Amount of load		6 hour minimum							
1 yd. - 1 1/2 yd	\$150	\$200	\$200						
2 yd. - 2 1/2 yd	\$130	\$160	\$160						
3 yd. - 3 1/2 yd	\$110	\$120	\$120						
4 yd.	\$90	\$120	\$120						
4.5 yd. - 5 yd.	\$90	\$80	\$80						
6 yd.	\$0	\$40	\$40						
6 yd. >	\$0	\$30	\$20						
Example Concrete Load Costs (per bag mix)	5 bag	6 bag	7 bag	5 bag	6 bag	7 bag	5 bag	6 bag	7 bag
<i>non-winter service</i>									
1 yard	\$286	\$292	\$298	\$332	\$339	\$346	\$333	\$341	\$349
2 yard	\$397	\$409	\$421	\$424	\$438	\$452	\$426	\$442	\$458
3 yard	\$508	\$526	\$544	\$516	\$537	\$558	\$519	\$543	\$567
4 yard	\$619	\$643	\$667	\$648	\$676	\$704	\$652	\$684	\$716
5 yard	\$750	\$780	\$810	\$740	\$775	\$810	\$745	\$785	\$825
6 yard	\$791	\$827	\$863	\$832	\$874	\$916	\$838	\$886	\$934
7 yard	\$917	\$984	\$1,006	\$954	\$973	\$1,022	\$951	\$1,007	\$1,063

VILLAGE OF OAK PARK

BID NO.: 17-106PUBLIC WORKS
PROJECT NAME: CONCRETE MATERIALS
DATE ISSUED: 12-29-2016

I
REQUEST FOR PRICING

The Village of Oak Park will receive bids for Concrete Materials for 2016 at the Public Works Service Center, Monday through Friday, 7:30 a.m. to 4:00 p.m., at 201 South Boulevard, Oak Park, Illinois 60302. **Bids will be accepted until 4:00 p.m. local time, January 12th, 2017.** Bids can also be faxed to the Department of Public Works at (708) 358-5711 or emailed to brinkman@oak-park.us.

Bidders must submit their quote with the form included in this Request for Pricing.

The Village of Oak Park is asking for pricing for concrete materials for the year 2016. The Village purchases approximately 350 - 500 yards of concrete, 1,500 - 2,000 tons of stone, and 50 - 100 tons of sand throughout the year. The average load of concrete will be six to nine yards and may consist of a few locations per load within the Village of Oak Park. These amounts may increase or decrease depending on the work load for the coming year.

Upon award to the successful Bidder, a Purchase Order will be issued not to exceed \$74,000.00 and the Bidder will enter into an agreement with the Village.

The Village of Oak Park as a municipality pays neither Federal Excise Tax nor Illinois Retailers Occupational Tax, and therefore these taxes should be excluded from quotations.

The bid will be awarded in whole or in part to the responsible Bidder or Bidders whose bids, conforming to the request for bids, will be most advantageous to the Village; price and other factors considered.

The Board of Trustees reserves the right to accept or reject any and all bids or to waive technicalities, or to accept any item of any bid. Additional information is available at the Public Works Service Center 2nd floor office, 201 South Boulevard, Oak Park, Illinois 60302, telephone (708) 358-5743, Attention Scott Brinkman, Interim Streets Superintendent, email- sbrinkman@oak-park.us.

Concrete Materials Price Sheet 2017

For the Village of Oak Park

Material	Cost
Concrete per cubic yard	
5 bag mix (3000 psi) or equivalent	\$131.00 per cy
6 bag mix (4000 psi) or equivalent	\$137.00 per cy
7 bag mix (5000 psi) or equivalent	\$143.00 per cy
winter service	\$8.00 per cy
waiting time	\$2.00 per minute after 6min per cy
fuel surcharge	\$5.00 per load
environmental charge per yard	N/A
Sand / Stone per ton	
3/4" & grade 8	\$26.00 per ton
#2 sand	\$24.00 per ton
Cartage	
1 yrd -- 1 1/2 yrd	\$150.00
2 yrd -- 2 1/2 yrd	\$130.00
3 yrd -- 3 1/2 yrd	\$110.00
4 yrd	\$90.00
5 yrd	N/A
>5 yrd	N/A

H.J. Mohr & Sons Co.
 Organization Name

By Karen J. Richards
 Authorized Signature

915 S. Maple Ave
 Address

708 3660338
 Telephone

Oak Park, IL 60304

708 386 2881
 Fax

1/11/17
 Date


hjmohrandsons@att.net
 Email

Concrete Materials Price Sheet 2017

For the Village of Oak Park

Material	Cost
Concrete per cubic yard	
5 bag mix (3000 psi) or equivalent	\$129
6 bag mix (4000 psi) or equivalent	\$136
7 bag mix (5000 psi) or equivalent	\$143
winter service	\$10
waiting time	\$2/per minute
fuel surcharge	\$0 /per load - NO CHARGE
environmental charge per yard	\$3/CY
Sand / Stone per ton	
3/4" & grade 8	Washed/Fractured-Gravel \$17/ton
#2 sand	FA 2 Natural \$17/ton
CA 6 fractured-Grade 9	\$17/ton
Cartage is \$105/hour--- 1 hour show up time, 6 Hour minimum	
Cartage	Ready Mix Concrete
1 yrd	\$200
2 yrd	\$160
3 yrd	\$120
4 yrd	\$80
5 yrd	\$40
>5 yrd	\$30

UCNAP
Organization Name

By 
Authorized Signature

7601 W. 79th St
Address

708-639-0675
Telephone

Bridgeview IL 60455

Fax

1/3/2017
Date

Chris.Rapp@vcmentos.com
Email

OZINGA Bid

Concrete Materials Price Sheet 2017

For the Village of Oak Park

Material	Cost
Concrete per cubic yard	
5 bag mix (3000 psi) or equivalent	
6 bag mix (4000 psi) or equivalent	
7 bag mix (5000 psi) or equivalent	
winter service	
waiting time	
fuel surcharge	
environmental charge per yard	
Sand / Stone per ton	
3/4" & grade 8	3/4" - \$17.00, CAB - \$8.25
#2 sand	\$26.00
Cartage	\$8.50
1 yrd	
2 yrd	
3 yrd	
4 yrd	
5 yrd	
>5 yrd	

Ozinga Materials
 Organization Name

19001 Old LaFrance
 Address

Mokena, IL 60448

1/3/2017
 Date

By 
 Authorized Signature

312-296-4144
 Telephone

Fax
 Email: pat.birmingham@ozinga.com



Ozinga Ready Mix Concrete, Inc.

2222 S. Lumber Street

Chicago, IL 60616

P (312) 432-8100 F (312) 432-8101

Quote # 17275684

Chicago Division

Customer:	Village of Oak Park	Project:	Area Pricing 2017
Attention:	OFFICE	Quote Date:	01/03/2017
Address:	Area Pricing 2017	Quoted By:	Bill Roe
		Sales Phone:	(312) 735-6842
		Sales Email:	BillRoe@ozinga.com
Job PO:		Estimated Yards:	600

Item	Description	Unit	Price	Notes
1050	3000 PSI FULL AE	per CYD	\$130.00	
1060	4000 PSI FULL AE	per CYD	\$138.00	
1070	5000 PSI FULL AE	per CYD	\$146.00	

Environmental Charge \$3.00 per CYD

Additional Charge	Price / Rate	Additional Charge	Price / Rate
Integral Fiber - Fibermesh	\$9.00 per CYD	Hot Weather Cooling	\$25.00 per CYD
NCA (Non Chloride Accelerator)	\$9.00 per % per CYD	Overtime Delivery (plant charge may apply)	\$10.00 per CYD
Saturday Delivery	\$80.00 per Load	Integral Fiber - Stealth	\$8.00 per CYD
High Range Water Reducer	\$9.00 per CYD	Waiting Time - after 60 minutes	\$2.50 per Minute
Fuel Surcharge	A fuel surcharge will be effective when the price of diesel fuel exceeds \$3.75 per gallon. Ask your salesman for details.		
Minimum Load Charge	<7CY \$20 <6CY \$40 <5CY \$80 <4CY \$120 <3CY \$160 <2CY \$200		
Winter Service	\$10.00 per CYD from Nov 01 to Mar 31		

Notes

Please read all charges, dates, and terms below.

Prices firm through: 12/31/2017

No Escalation for this Quote.

HOURS OF OPERATION: MON-FRI 6:00 AM - 5:00 PM SAT 6:00 AM - 12:00 PM

Terms and Conditions

Any unpaid Balance at 45 days may have liens placed to secure payment - All prices on quote are applicable if used. Taxes not included. Prices subject to change after 60 days. Payment Terms: Net 30 (outstanding balances shall incur a late payment fee of 1.5% per month). Ozinga does not warrant the performance of concrete which is not adequately cured, is improperly handled and/or finished. Tests for slump and air content shall be made in accordance with procedures listed in the current ASTM C94 and by certified field inspectors. Any water added shall be at Customer's risk. Ozinga will always strive to deliver materials in a timely manner but at times delays may occur. Ozinga will not accept back charges for service issues. This quote is solely for the Customer's own internal use and is not to be published or disseminated to any third party.

Customer Signature

Signature: Date:

OZINGA MATERIALS

19001 OLD LA GRANGE RD #300
MOKENA, IL 60448
DISPATCH: 800-786-6380

QUOTE

Date: 01/03/2017
Name: Village Of Oak Park
Job Name: Oak Park Public Works Service Center
Job Location: 201 South Boulevard, Oak Park, IL
PO / Job #:

Quote #: Q3.1565
Phone:
Fax:
Attn: Scott Brinkman
Email:

Ozinga Salesperson: Pat Birmingham
Phone: 312-296-4144

Email: patbirmingham@ozinga.com
Fax:

Shipping Location	Product	Qty	Delivered		Total	
			Mat/FRT	Tax		
Ozinga - Chinatown	027FM01 (Sand - Henry) 51230-27	100	34.50	0.00	34.50	Ton
Ozinga - Chinatown	IDOT Approved CA 6/Grade 8	750	16.75	0.00	16.75	Ton
Ozinga Materials	CA-7 3/4" Bedding Stone	750	25.50	0.00	25.50	Ton

- Taxation: If job is tax exempt, please provide tax exempt certificate and then taxes will not be billed.
- Terms: Net 30
- Expiration: Quote is valid for 30 days. All products are subject to availability.
- Unloading Time: 15 minutes is allowed, anything over may be subject to additional charges of \$25 per 15 minutes increment.
- Minimum: 22 tons per load for freight and 15 tons per load for material

Customer Signature: _____

Date: _____



[Beemsterboer Bid]

Concrete Materials Price Sheet 2017

For the Village of Oak Park

Material	Cost
Concrete per cubic yard	
5 bag mix (3000 psi) or equivalent	
6 bag mix (4000 psi) or equivalent	
7 bag mix (5000 psi) or equivalent	
winter service	
waiting time	
fuel surcharge	
environmental charge per yard	
Sand / Stone per ton	
3/4" & grade 8	CA 7 / CA 8 - FOB = \$5.50; Delivered = \$16.00
#2 sand	FA 20 / FA 2 - FOB = \$5.00; Delivered = \$15.50
Cartage	
1 yrd	
2 yrd	
3 yrd	
4 yrd	
5 yrd	
>5 yrd	


Beemsterboer Aggregates
Organization Name

3411 Sheffield Ave. Hammond, IN, 46327
Address

Plant: 1 N. Buchanan St. Gary, IN, 46402

1/5/17

Date

By 
Authorized Signature

219-931-7462
Telephone

219-931-7463
Fax

richard.d@beemcompanies.com
Email

BEEMSTERBOER AGGREGATES

Plant Location:
USS Gary
1 N. Buchanan St.
Gary, IN 46402

Date: January 5, 2017

Customer: Village of Oak Park
Contact: Scott Brinkman
Phone: (708) 358-5743
E: Mail: sbrinkman@oak-park.us

Project: 2017 Sand / Stone Bid

Material	Size	Qty.	FOB Plant	Freight (Non-Union)	Total Without Tax
ACBF Aggregate	CA 7 / CA 8	Any	\$5.50	\$10.50	\$16.00
ACBF Aggregate	FA 20 / FA 2	Any	\$5.00	\$10.50	\$15.50

Note: Air Cooled Blast Furnace (ACBF) Aggregates can yield up to 20% more volume per ton than natural aggregates.

The prices quoted above from the "Seller" (Beemsterboer Aggregates) to the "Buyer" (the Company to which this price quotation letter is addressed) are subject to the following terms and conditions:

- All quotations made and orders received applying thereto are subject to approval of Seller's Credit Department. Please note the above prices are NET terms, and tons are short tons (2000 lbs.). Weights will be determined on Seller's scale at the time of loading. Allowances for moisture or specific gravity variations are not allowed.
- Taxes will be added as applicable to all invoices and shall be the responsibility of the buyer.
- **Quoted freight rates are subject to change at any time. 15 minute unloading time included, additional job unloading time will be billed at \$110 per hour.**
- Additional loading hours can be arranged for a fee.
- Prices reflected above are **NOT valid past December 31, 2017**, unless agreed to in writing by the Seller.

Sincerely,

Rich Droske
Director of Sales
Email: richard.d@beemcompanies.com
Cell: (219) 746-8215

Alyssa Hojnicky
Sales & Marketing Analyst
Email: alyssa.h@beemcompanies.com
Cell: (219) 629-1297

Sales and Dispatch: (219) 931-7462
Scale House: (219) 881-6576

Loading Hours: Monday – Friday
May – October 6AM – 3PM
November – April 6AM – 2PM



Plant No. 2473 CAPP NO. Q 082244
IDOT Source Approval #52103-08



BEEMSTERBOER
AGGREGATES
IDOT- CA 07

Class A - ACBF AGGREGATE

Producer: 52103-08 Material: 043CM07

General Description


Beemsterboer Aggregates provides light weight ACBF (Air Cooled Blast Furnace) aggregates; a nonmetallic coproduct from iron manufacturing. It consists primarily of silicates, aluminosilicates, and calcium-alumina-silicates.

Technical Properties

Method	Test	Result	Specification
Sieve Analysis (AASHTO T 27)	<i>Sieve Size</i>	<i>Percent Passing</i>	<i>CA 07</i>
	1 ½"	100	100
	1"	100.0	90-100
	1/2"	50.4	30-60
	No. 4	9.9	0-10
Wash -No. 200 Sieve (AASHTO T11)	Decant	1.9	-
Moisture (AASHTO T 255)	Moisture	3.20%	N/A
Freeze Thaw (AASHTO T 103)	Freeze Thaw	1.3%	N/A
Illinois Test Procedure 202	Leachate	pH 7.0 - Clear Coloring	Above Greenish-Yellow (HUE 10 Y) on Rock Chart
Unit Weights (AASHTO T 19)	<i>Rodded Unit Weights</i>		
	lbs/ft ³	81	N/A
	lbs/yd ³	2,187	
	ton/yd ³	1.093	
Absorption & Specific Gravity (AASHTO T 85)	Bulk Specific Gravity	2.403	N/A
	Absorption	2.80%	N/A

All data is based on material averages and are in compliance with IDOT Standards. Actual production runs may vary.

Technical Product Data



South Shore Plant

1 N. Buchanan St. Gary, IN, 46402 | Sales and Dispatch: (219) 931-7462 Info@beemslag.com



IDOT- FA 20

Class A - ACBF AGGREGATE

Producer: 52103-08 Material: 043FM20

General Description

Beemsterboer Aggregates provides light weight ACBF (Air Cooled Blast Furnace) aggregates; a nonmetallic coproduct from iron manufacturing. It consists primarily of silicates, aluminosilicates, and calcium-alumina-silicates.

Technical Properties

Method	Test	Result	Specification
Sieve Analysis (AASHTO T 27)	<i>Sieve Size</i>	<i>Percent Passing</i>	<i>FA 20</i>
	3/8"	100.0	100
	No. 4	97.2	94-100
	No. 8	72.9	60-100
	No. 16	48.9	35-65
	No. 50	22.9	8-30
	No. 100	11.6	3-17
Wash -No. 200 Sieve (AASHTO T11)	No. 200	7.4	0-8
	Decant	6.7	-
Moisture (AASHTO T 255)	Moisture	3.40%	N/A
Freeze Thaw (AASHTO T 103)	Freeze Thaw	3.8%	N/A
Illinois Test Procedure 202	Leachate	pH 7.0 - Clear Coloring	Above Greenish-Yellow (HUE 10 Y) on Rock Chart
Unit Weights (AASHTO T 19)	<i>Rodded Unit Weights</i>		
	lbs/ft ³	101	N/A
	lbs/yd ³	2,727	
	ton/yd ³	1.364	
Absorption & Specific Gravity (AASHTO T 85)	Bulk Specific Gravity	2.607	N/A
	Absorption	2.00%	N/A

All data is based on material averages and are in compliance with IDOT Standards. Actual production runs may vary.



Illinois Department
of Transportation
Approved Product

South Shore Plant

1 N. Buchanan St. Gary, IN, 46402 | Sales and Dispatch: (219) 931-7462 Info@beemslag.com