



TEREX®

CUSTOMER ORDER ACKNOWLEDGEMENT

Terex Utilities, Inc. - 200 Eden Way - White House, TN 37188 - Phone: 605-882-4000 - Fax: 605-882-1842

NJPA 012418-TER

Date: **5/31/2018**

Quote Number: QU11042 Unit: LT40

Village of Oak Park
201 South Boulevard
Oak Park, IL 60302

Attention: Ken Crowley

Baseline Price: \$104,537
Chassis: \$42,996

Steel Surcharge: \$3,092

Grand Total Each: \$150,625

Prices are subject to change until shipment. Applicable taxes and surcharges will be added. Taxes, shipping & handling and lead times are estimates and subject to change. Quoted prices are based on total quoted package and subject to change if all items not purchased. All prices quoted are in U.S. dollars unless otherwise specified. Payment by cash or certified check only. Chassis payment is due upon chassis receipt at our facility. Quote withdrawn after 30 days.

Please ensure the accuracy of the specifications and drawings you provide. Changes made after receipt of order may incur additional charges. If you are trading equipment in, you warrant that: You have good title to the trade-in; it is free of all liens and encumbrances; all information you have provided related to the trade-in is true and correct.

Notes:

- 1) Delivery Terms are: FCA, Shipping Point Delivery Prepaid and Included.
- 2) Terms: Net 30 days.
- 3) Delivery days from receipt of order shall be 300-360 days

Buyer hereby agrees to purchase the products in this quotation, subject to acceptance by Seller. Buyer has read and agrees to Seller's Terms and Conditions of Sale.

Terex Utilities Inc.

Linda Wussow
Sales Coordinator

Mike Niemela
Account Manager

Accepted By:

PO Number: _____

Quantity: _____

Grand Total: _____

Date: _____

TERMS & CONDITIONS OF SALE
TEREX SOUTH DAKOTA, INC./TEREX UTILITIES, INC.
U.S. and CANADA (except Quebec)

1. Terms and Conditions. These Terms and Conditions of Sale cancel and supersede any and all terms of sale pertaining to Parts and Equipment (and any supplements thereto) previously issued by Seller to Buyer and are subject to change without advance notice. "Seller" herein shall be the seller identified in the Sales Order Acknowledgement or other applicable sales documents. The prices, charges, discounts, terms of sale and other provisions referred to or contained herein shall apply to Seller's Parts and Equipment (hereinafter collectively referred to as "Products") sold and shipped to Buyer on and after August 1, 2016, and shall remain in effect unless and until superseded in writing by Seller. Acceptance of an order for Products by Seller shall be deemed to constitute a binding agreement between the parties pursuant to the terms and conditions contained herein and Buyer agrees that the order may not thereafter be cancelled, countermanded or otherwise changed without the prior consent of Seller. This agreement supersedes any prior agreements, representations, or other communications between the parties relating to the subject matter set forth herein. No other terms and conditions shall apply including the terms of any purchase order submitted to Seller by Buyer, whether or not such terms are inconsistent or conflict with or are in addition to the terms and conditions set forth herein. Seller's acceptance of Buyer's purchase order is conditional upon Buyer's acceptance of all the terms and conditions contained herein. Any communication construed as an offer by Seller and acceptance thereof is expressly limited to the terms and conditions set forth herein. The Products are intended for industrial/commercial use by professional contractors and their trained employees and are not intended for use by consumers.

2. Terms of Payments. Payment for Products purchased by Buyer shall be made in accordance with any of the following terms, provided they have been previously arranged with and expressly approved by Seller in writing: (1) cash in advance; (2) confirmed, irrevocable letter of credit established in such amount and form and at such time and at such bank as shall be approved by Seller in respect of each order; (3) credit account purchases for which payment will be due and payable on net thirty (30) day terms, plus service and other charges applicable to past due amounts in accordance with Seller's written notices; or (4) other payment arrangements expressly approved by Seller in writing prior to or at the time the order is placed. If any Buyer credit account purchase is not paid in accordance with Seller's credit payment terms, in addition to any other remedies allowed in equity or by law, Seller may refuse to make further shipments without advance payment by Buyer. Nothing contained herein shall be construed as requiring Seller to sell any Products to Buyer on credit terms at any time, or prohibiting Seller from making any and all credit decisions which it, in its sole discretion, deems appropriate for Seller. Seller shall have the right, at its option, to charge interest on all amounts not paid when due and Buyer agrees to pay such interest calculated on a daily basis, from the date that payment was due until the Seller receives payment in full, at the rate of 1.5% per month or the maximum rate permitted by applicable law. Unless otherwise agreed in writing between Seller and Buyer, Seller may, in its sole discretion, increase or decrease the price of any Product, as Seller deems reasonably necessary, at any time prior to shipment and invoice Buyer for the same. If Buyer orders the chassis through Seller, the chassis payment is due upon receipt of chassis by Seller and the balance owed for the completed unit is due in accordance with agreed upon payment terms. When supplied by Buyer, Seller will inspect the chassis upon receipt and will notify Buyer of any chassis mounted components (including but not limited to fuel tanks, air tanks, battery boxes and exhaust systems) that require relocation. Buyer will be invoiced for such work upon completion of the finished Equipment.

3. Taxes and Duties. Unless otherwise noted, prices quoted do not include taxes or duties of any kind or nature. Buyer agrees that it will be responsible for filing all tax returns and paying applicable tax, duty, export preparation charge and export documentation charge resulting from the purchase of the Products. In addition, in the event any other similar tax is determined to apply to Buyer's purchase of the Products from Seller, Buyer agrees to indemnify and hold Seller harmless from and against any and all such other similar taxes, duties and fees. All prices quoted are U.S. dollars unless otherwise specified. The amount of any present or future taxes applicable to the sale, transfer, lease or use of the Products shall be paid by Buyer; or in lieu thereof, Buyer shall provide Seller with a tax exemption certificate satisfactory to the applicable taxing authority proving that no such tax is due and payable upon such sale, transfer, lease or use.

4. Title, Property, Risk and Delivery. Unless otherwise stated in writing, for all intra-continental United States shipments, all prices and delivery are FCA, point of manufacture (Incoterms 2010); for all other shipments, all prices and delivery are FAS, named port of shipment (Incoterms 2010). Title and all risk of loss or damage to Products shall pass to Buyer upon delivery, as per Incoterms 2010. Any claims for loss, damage or delay in transit must be entered and prosecuted by the Buyer directly with the carrier, who is hereby declared to be the agent of the Buyer. Seller shall not be liable for any delay in performance of this agreement or delivery of the Products, or for any damages suffered by Buyer by reason of delay, when the delay is caused, directly or indirectly, by a force majeure event described in Section 20 herein or any other cause beyond Seller's control. Claims for shortages in shipments shall be deemed waived and released by Buyer unless made in writing within five (5) days after Buyer's receipt of shipment. Seller's responsibility for shipment shall cease upon delivery of the Products to the place of shipment, and all claims occurring thereafter shall be made to or against the carrier by Buyer. Delivery shall generally be 240 to 270 days after receipt by Seller of a signed Order, provided that, where applicable: (1) Seller receives the chassis a minimum of 90 days prior to scheduled delivery, (2) drawings are timely sent by Buyer and the approved drawings are returned to Seller by Buyer by the requested date, (3) all vendor-supplied components and Buyer-supplied accessories are received by Seller by the date necessary to comply with scheduled delivery. Seller shall not be liable for any delay in performance of this agreement or delivery of the Products, or for any damages suffered by Buyer by reason of delay, when the

delay is caused, directly or indirectly, by a force majeure event described in Section 20 herein or any other cause beyond Seller's control. Claims for shortages in shipments shall be deemed waived and released by Buyer unless made in writing within fifteen (15) days after Buyer's receipt of shipment. Seller's responsibility for shipment shall cease upon delivery of the Parts and or Equipment to the place of shipment, and all claims occurring thereafter shall be made to or against the carrier by Buyer.

5. Delays Caused By Buyer. In the event of a delay in shipment or delivery due to delay by Buyer in furnishing delivery instructions, arranging a method of payment satisfactory to Seller, submitting valid import permits or licenses, or any other delay caused by Buyer or at Buyer's request, if the Products are not shipped or delivered within five (5) days from the first date they are ready to be shipped or delivered, then Seller shall be entitled to charge, as compensation, any additional costs incurred related to such delay. If the Products are not shipped or delivered by the date which is ten (10) days from the first date they are ready to be shipped or delivered, then Buyer's order shall be deemed cancelled and Seller may, in its sole discretion, sell such Products to another buyer without any liability or responsibility to Buyer whatsoever. Seller shall have the right to keep payments on account already received from Buyer, and the difference between the sales price (increased by any other and all further costs, including but not limited to attorney's fees and expenses, storage and other costs, and interest accrued thereon) and the price received from another buyer shall constitute a debt of Buyer and bear interest at the same rate set forth in Section 2 herein. Seller shall be entitled to claim for any further damages suffered as a consequence of Buyer's breach of its obligations hereunder.

6. Cancellation. Prior to delivery to place of shipment, a Product order may be cancelled only with Seller's prior consent and upon terms indemnifying Seller from all resulting losses and damages. Seller shall have the right to cancel and refuse to complete a Product order if any term and/or condition governing this agreement is not complied with by Buyer. In the event of cancellation by Seller, or in the event Seller consents to a request by Buyer to stop work or to cancel the whole or any part of any order, Buyer shall, in the event that Seller asks Buyer to do so, make reimbursement to Seller, as follows: (i) any and all work that can be completed within thirty (30) days from date of notification to stop work on account of cancellation shall be completed, shipped and paid in full; and (ii) for work in progress and any materials and supplies procured or for which definite commitments have been made by Seller in connection with the order, Buyer shall pay such sums as may be required to fully compensate Seller for actual costs incurred, plus fifteen percent (15%). Buyer may not cancel any order after Seller's delivery to place of shipment. Orders for "Special" Equipment may not be cancelled after acceptance, except by Seller. Items of "Special" Equipment are those that differ from standard Seller specifications, have a limited market, or incorporate specifications that have been determined for a specific application. Determination of whether an item of Equipment is "Special" shall be made by Seller in its sole discretion.

7. Inspection and Acceptance. Buyer agrees that it shall inspect the Products immediately after receipt and promptly (in no event later than fifteen (15) days after receipt) notify Seller in writing of any non-conformity or defect. Buyer further agrees that failure to give such prompt notice or the commercial use of the Products shall constitute acceptance. Acceptance shall be final and Buyer waives the right to revoke acceptance for any reason, whether or not known by Buyer at the time of such acceptance. The giving of any such notice by Buyer shall automatically cause the provisions of Seller's warranty to apply and govern the rights, obligations and liabilities of the parties with respect to such nonconformity or defect, provided under no circumstances shall rejection give rise to any liability of Seller for incidental or consequential damages or losses of any kind. Seller shall not be bound by any agent's, employee's or any other representation, promise or inducement not set forth herein. Seller's catalogues, technical circulars, price lists, illustrations, drawings and any other similar literature are for Buyer's general guidance only and the particulars contained in them shall not constitute representations by Seller and Seller shall not be bound by them.

8. Warranty for New Products. Seller warrants its new Equipment and Parts manufactured and sold worldwide, to be free, under normal use and service, of any defects in material or workmanship for a period of twelve (12) months from the date of delivery (as limited by Seller's Limited Product Warranty); provided that Buyer sends Seller written notice of the defect within thirty (30) days of its discovery and establishes that: (i) the Equipment has been operated and maintained in strict compliance with Seller's operating and maintenance manuals ; and (ii) the defect did not result in any manner from the intentional or negligent action or inaction of Buyer, its agents or employees and (2) a new machine registration certificate has been completed, signed and delivered to the Seller within thirty (30) days of the Equipment's "in-service" date. If requested by Seller, Buyer must return any defective Product to Seller's manufacturing facility, or other location designated by Seller, for inspection, and if Buyer cannot establish that conditions (i) and (ii) above have been met, then this warranty shall not cover the alleged defect. Failure to give written notice of defect within such period shall be a waiver of this warranty and any assistance rendered thereafter shall not extend or revive it. Accessories, assemblies and components included in the Products of Seller, which are not manufactured by Seller, are subject to the warranty of their respective manufacturers. This warranty shall not cover any item on which serial numbers have been altered, defaced or removed. Maintenance and wear parts are not covered by this warranty and are the sole maintenance responsibility of Buyer. This warranty is limited to the original purchaser or end-user if sold to a distributor, and is not assignable or otherwise transferable without written agreement of Seller. **THIS WARRANTY IS EXPRESSLY IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED (INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) AND ALL OTHER OBLIGATIONS OR LIABILITY ON SELLER'S PART. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE LIMITED WARRANTY CONTAINED HEREIN.** Seller neither assumes nor authorizes any other person to assume for Seller any other liability in connection with the sale of Seller's Products. This warranty shall not apply to any of Seller's Products or any part thereof which has been subject to misuse, alteration, abuse,

negligence, accident, acts of God or sabotage. No action by either party shall operate to extend or revive this limited warranty without prior written consent of Seller.

9. Warranty for Used Equipment. Used Equipment sold hereunder is sold on an “AS IS, WHERE IS, WITH ALL FAULTS” BASIS WITH NO WARRANTIES WHATSOEVER, EXCEPT AS TO TITLE, UNLESS OTHERWISE SPECIFICALLY AGREED IN WRITING BY BUYER AND SELLER. SELLER ASSUMES NO RESPONSIBILITY FOR THE CONDITION, SAFETY, LEGAL COMPLIANCE, OR USABILITY OF THE USED EQUIPMENT AND MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THE USED EQUIPMENT INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SELLER MAKES NO REPRESENTATION OR WARRANTY REGARDING THE CONDITION OF THE USED EQUIPMENT, NOR THE SUFFICIENCY OF ANY WARNINGS, INSTRUCTIONS OR MANUALS PROVIDED WITH THE USED EQUIPMENT. Seller recommends and Buyer acknowledges that Buyer should contact the original manufacturer to obtain all available information for the used Equipment, including but not limited to product manuals, warnings, safety bulletins, recall notices, and instructional placards before using the used Equipment. Seller shall not be responsible for providing such information. Buyer agrees not to assert any claims against Seller with respect to the used Equipment or its use. Buyer agrees that it shall inspect the used Equipment prior to issuance of a purchase order for such Equipment and acknowledges that it is not relying upon any photographs, images, videos, representations, statements or other assertions made by Seller with respect to the used Equipment’s condition, but is relying upon its own knowledge and/or inspection of the used Equipment.

10. Remedies for Breach. IN THE EVENT OF ANY BREACH OF THE WARRANTY BY SELLER, THE PARTIES AGREE THAT SELLER’S LIABILITY SHALL BE LIMITED EXCLUSIVELY TO THE REMEDIES OF REPAIR OR REPLACEMENT (AT SELLER’S SOLE DISCRETION) OF ANY DEFECTIVE EQUIPMENT COVERED BY THE WARRANTY. In no event shall any repair or replacement of any defective equipment covered by the Seller’s warranty extend the length of the warranty beyond the period specified in Section 8 herein.

11. Limitation of Liability. NOTWITHSTANDING ANYTHING CONTAINED IN THIS AGREEMENT TO THE CONTRARY, SELLER AND ITS AFFILIATES SHALL NOT BE LIABLE FOR, AND SPECIFICALLY DISCLAIM, ANY LIABILITY FOR ANY: (A) LOST PROFITS AND/OR BUSINESS INTERRUPTION (WHETHER DIRECT OR INDIRECT); AND (B) INDIRECT, INCIDENTAL, CONSEQUENTIAL (WHETHER DIRECT OR INDIRECT) OR OTHER DAMAGES OR LOSSES OF ANY KIND WHATSOEVER, including, without limitation, labor costs, lost profits, loss of use of other equipment, third party repairs, personal injury, emotional or mental distress, improper performance or work, penalties of any kind, loss of service of personnel, or failure of Products to comply with any federal, state, provincial or local laws, regardless of whether arising from a breach of contract, or warranty, legal claims or otherwise. **Nothing in this Section shall operate to exclude Seller’s liability for death or personal injury when directly related to Seller’s negligent act or omission.**

12. Limitation of Actions. Any action for breach of this agreement must be commenced within one (1) year after the cause of action has accrued.

13. Specification Changes. In the event Seller incurs additional expense because of changes in specifications or drawings previously approved by Buyer, or in the event Seller is required to modify the ordered Equipment, perform any additional work or supply any additional Products, the additional expense shall be added to the purchase price. Buyer must submit to Seller a revised purchase order specifying any and all requested changes. Upon receipt of Buyer’s revised purchase order, Seller shall have the right, in its sole discretion, to accept or reject any changes in specifications requested by Buyer.

14. Trade-in Offers. Trade-in offers are subject to Seller’s inspection and acceptance of the equipment, which must have been maintained to U.S. Department of Transportation operating and safety standards. All accessories on the equipment, including without limitation jibs, winches, pintle hooks and trailer connectors, must remain with the equipment unless otherwise agreed by Seller and Buyer in writing. Seller reserves the right to cancel any trade-in offers or agreements if these conditions are not met, or if Buyer has misrepresented any information about the trade-in unit.

15. Insurance. Until the purchase price of any Products is paid in full, the Buyer shall provide and maintain insurance equal to the total value of the Equipment delivered hereunder against customary casualties and risks; including, but not limited to fire and explosion, and shall also insure against liability for accidents and injuries to the public or to employees, in the names of Seller and Buyer as their interest may appear, and in an amount satisfactory to Seller. If the Buyer fails to provide such insurance, it then becomes the Buyer’s responsibility to notify the Seller so that the Seller may provide same; and the cost thereof shall be added to the contract price. All loss resulting from the failure to affect such insurance shall be assumed by the Buyer.

16. Patents, Copyrights, Trademarks, Confidentiality. No license or other rights under any patents, copyrights or trademarks owned or controlled by Seller or under which Seller is licensed are granted to Buyer or implied by the sale of Products hereunder. Buyer shall not identify as genuine products of Seller products purchased hereunder which Buyer has treated, modified or altered in any way, nor shall Buyer use Seller’s trademarks to identify such products; provided, however, that Buyer may identify such products as utilizing, containing or having been manufactured from genuine products of Seller as treated, modified or altered by Buyer or Buyer’s representative, upon prior written approval of Seller. All plans,

photographs, designs, drawings, blueprints, manuals, specifications and other documents relating to the business of Seller ("Information") shall be and remain the exclusive property of Seller and shall be treated by Buyer as confidential information and not disclosed, given, loaned, exhibited, sold or transferred to any third party without Seller's prior written approval; provided, however, that these restrictions shall not apply to Information that Buyer can demonstrate: (a) at the time of disclosure, is generally known to the public other than as a result of a breach of this Agreement by Buyer; or (b) is already in Buyer's possession at the time of disclosure by from a third party having a right to impart such Information.

17. Default and Seller's Remedies. In the event of default by Buyer, all unpaid sums and installments owed to Seller, shall, at Seller's sole option, become immediately due and payable without notice of any kind to Buyer. In addition to its right of acceleration, Seller may pursue any and all remedies allowed by law or in equity, including but not limited to any and all remedies available to it under the Delaware Uniform Commercial Code. In addition to the foregoing, and not in limitation thereof, Seller shall have the right to set off any credits or amounts owed to Buyer against any amounts owed by Buyer to Seller.

18. Indemnification by Buyer. Buyer hereby agrees to indemnify, release, defend and hold harmless Seller, its directors, officers, employees, agents, representatives, successors, and assigns against any and all suits, actions or proceedings at law or in equity (including the costs, expenses and reasonable attorney's fees incurred in connection with the defense of any such matter) and from any and all claims demands, losses, judgments, damages, costs, expenses or liabilities, to any person whatsoever (including Buyer's and Seller's employees or any third party), or damage to any property (including Buyer's property) arising out of or in any way connected with the performance or the furnishing of Products under this agreement, regardless of whether any act, omission, negligence (including any act, omission or negligence, relating to the manufacture, design, repair, erection, service or installation of or warnings made or lack thereof with respect to any Products furnished hereunder) of Seller, its directors, officers, employees, agents, representatives, successors or assigns caused or contributed thereto. If Buyer fails to fulfill any of its obligations under this paragraph or this agreement, Buyer agrees to pay Seller all costs, expenses and attorney's fees incurred by Seller to establish or enforce Seller's rights. The provisions of this paragraph are in addition to any other rights or obligations set forth in this agreement.

19. Installation. Unless otherwise expressly agreed in writing, Buyer shall be solely responsible for the installation and erection of the Products purchased. Although Seller may in some cases provide a serviceman, data and drawings to aid Buyer with installation or start-up, Seller assumes no responsibility for proper installation or support of any Products when installed and disclaims any express or implied warranties with respect to such installation and support. Notwithstanding whether data and drawings are provided or a serviceman aids in the installation, Buyer shall indemnify and hold Seller harmless and at Seller's request, defend Seller from all claims, demands or legal proceedings (including the costs, expenses and reasonable attorney's fees incurred in connection with the defense of any such matter) which may be made or brought against Seller in connection with damage or personal injury arising out of said installation or start-up.

20. Force Majeure. Seller shall not be liable to Buyer or be deemed to be in breach of this agreement by reason of any delay in performing, or any failure to perform, any of Seller's obligations in relation to the Products if the delay or failure was due to any cause beyond the reasonable control of Seller including (without limitation) strike, lockout, riot, civil commotion, fire, accident, explosion, tempest, act of God, war, epidemic, stoppage of transport, terrorist activity, supply shortage or changes in government, governmental agency, laws, regulations or administrative practices.

21. Anti-Corruption; Export Controls; No Boycotts. Buyer agrees that it shall, and that any party retained by the Buyer ("Retained Party") shall, comply with all applicable laws including, but not limited to, laws prohibiting public corruption and commercial bribery. Buyer further agrees that it shall, and that any Retained Party shall, comply with all applicable export controls, economic sanctions, embargoes and regulations regarding the export, re-export, shipment, distribution and/or sale of the Products, technology, information or warranty related services. Buyer further agrees that it shall comply with applicable laws pursuant to the Joint Comprehensive Plan of Action (JCPOA) of July 14, 2015 and any other applicable laws, resolutions, regulations or licenses for the export or re-export of Products, technology, information or warranty related services directly, or with its knowledge indirectly into Iran. Buyer further agrees that it shall not, and any Retained Party shall not, export or re-export the Products, technology, information or warranty related services directly, or with its knowledge, indirectly, into Sudan. Buyer further agrees that it shall not, and any Retained Party shall not, export or re-export the Products, technology, information or warranty related services directly or with its knowledge indirectly into Cuba without Buyer first obtaining written approval from Seller. Failure to comply strictly with this section and all applicable laws, regulations and licensing/approval requirements shall be grounds for immediate termination of this agreement by Seller. Notwithstanding anything to the contrary contained in any agreement between the Buyer and Seller or in any other document or agreement relating to the Products sold hereunder, Seller will not comply with requests related to the boycott of any country or other jurisdiction, except to the extent such boycott is required by or otherwise not inconsistent with United States law.

22. Telematics. If a telematics system is included with the Equipment, the telematics system is administered by a third party ("Teleservice Provider") and collects a range of operational data about the Equipment including, but not limited to, usage, performance and reliability. Buyer consents to Seller's obtaining such data from the Teleservice Provider for warranty, product improvement and customer support purposes

23. Construction and Severability. These Terms and Conditions of Sale constitute the entire agreement between the parties regarding the subject matter hereof and shall be construed and enforced in accordance with the laws of Delaware. The United Nations Convention on Contracts for the International Sale of Goods (1980) (CISG) shall not apply. The invalidity or unenforceability of any provisions of this agreement shall not affect any other provision and this agreement shall be construed in all respects as if such invalid or unenforceable provision were omitted.

24. Jurisdiction. The parties agree that the proper and exclusive forum and venue in all legal actions brought to enforce or construe any provisions herein shall be in United States District Court, District of Delaware or, if federal jurisdiction is lacking in such action, in New Castle County Superior Court in Delaware.

25. No Assignment. No rights arising under this agreement may be assigned by the Buyer unless expressly agreed to in writing by the Seller.

26. No Set-off. Buyer shall have no right to set-off any amounts it may owe Seller against amounts Seller may owe Buyer under this or any other agreement between Buyer and Seller.

27. Miscellaneous. Buyer represents that: (i) it is solvent and has the financial ability to pay for the Equipment and Parts purchased hereunder and (ii) it has all requisite right, power and authority to perform its obligations under this agreement.

Buyer's Initials: _____



Terex Utilities, Inc.
500 Oakwood Rd, Watertown, SD 57201
Phone: 605-882-4000 Fax: 605-882-1842

05/31/2018

VILLAGE OF OAK PARK

201 SOUTH BOULEVARD
OAK PARK, IL 60302
Attention: KEN CROWLEY

Phone: (708)358-5735

Qty. Description

UNIT

- 1 One (1) new Terex Hi-Ranger LT40 Articulating / Telescoping Aerial Device providing a working height of 45.6 ft (13.8 m) with a end mount platform.
Unit will be mounted behind the cab.

Design Criteria:

* Design criteria is in accordance with current industry and engineering standards applicable and accepted for structural and hydraulic design.

Lower Controls:

* Individual control levers are located in an accessible location on the turntable.

Lower Boom:

* Filament wound high strength fiberglass insert providing an insulation gap.

Upper Boom:

* Filament wound high strength fiberglass boom providing an insulation gap.

Rotation:

* Self-locking worm gear rotation drive is provided and equipped with bi-directional motor.

Continuous Unrestricted Rotation:

* A hydraulic rotary manifold provides a rotating oil distribution system for continuous and unrestricted rotation.

* A 4 channel electric collector ring is provided as standard.

Aerial device is designed as a Category C machine in accordance and is dielectrically tested and rated for operation on systems up to 46 Kv phase to phase per ANSI/SIA A92.2-2015

Hydraulic System:

* Full pressure open center hydraulic system.

* Hydraulic hoses are equipped with permanent type fittings.

Miscellaneous:

* All metallic components of the complete aerial device are powder coat white.

* The fiberglass upper boom, boom inserts, platforms and covers are white.

Qty. Description

* Two complete manuals providing operation and maintenance procedures and a replacement parts listing.

* Warning decals provided with unit.

1 Pedestal.

1 8-Gallon Hydraulic Oil Reservoir.

* A 8 gallon hydraulic oil reservoir mounted on the side of tower with sight and temperature gauge.

* Return filter and oil eyes.

* A ball type shut off valve.

1 A boom rest with a ratchet type tie down strap is provided.

1 Platform 24" x 30" x 42", End Mounted.

* Includes one (1) outside access step with slip-resistant surface.

1 A safety harness with lanyard is provided for fall arrest.

1 A padded saddle rest provides platform support during road travel.

1 Insulated Platform Liner For 24" x 30" x 42" Platform:

* Tested at 50 KV AC.

1 Scuff Pad to fit inside of a platform liner for a 24" x 30" Platform:

* Non-skid standing surface.

1 Vinyl Foam Filled Platform Cover For 24" x 30" Platform:

* Water resistance with internal elastic cord around edge.

1 Auxiliary Let Down for use with Open Center Hydraulics:

* Allows for the descent of the boom (platform) in the most direct manner for a time limited by the duty cycle of the electric motor.

*Includes 12 volt electric motor for use on a 12 volt chassis.

Note: This includes a switch for activation at pedestal for electric or air function.

1 Boom Tip with 4 Function Controls and Platform Rotator:

Upper Controls: "Control-Plus" single stick controller.

* Enable lever must be actuated before operation.

* Rated capacity of 400 lbs.

Hydraulic Platform Rotator For End Mount Platform.

Hydraulic Platform Tilt is provided at platform and lower controls.

Engine Stop/Start controlled at platform and lower controls.

Hydraulic Tool Outlets At Platform.

1 Mounting Kit:

* Behind cab mount for use with (1) set of H-frame outriggers attached to tower and tie plates.

Qty. Description

- 1 Controls For 1-Sets of Outriggers (Open center systems):
 - * Recessed at rear of truck each side for ease of view for outrigger placement.
 - * Includes switches and alarm for outrigger in motion alarm.
 - 1 Outrigger Interlock:
 - * To operate the boom the outriggers must be extended.
 - 1 Pump for systems requiring 3 to 5 gallons per minute:
 - *Provides 3 gpm at 725 engine rpm and 5 gpm at 1150 engine rpm with a 127% pto.
 - 1 Terex Chassis Controller (DTS50) 12 volt:
 - *Provides Inputs and Outputs indication for trouble shooting.
 - *LED indicators to show when active.
 - *Recommended for all Class 5 Chassis types.
 - *Controller programmable for communication with different Chassis manufacturers.
 - 1 Boom storage warning light:
 - * Alerts operator if aerial or digger derrick device(s) is not properly stored.
 - 1 Lower Boom Material Handling Lift Eye:
 - * Maximum capacity of 1000 lbs.
 - 1 Boom Stow Protection System:
 - * Limits the amount of down pressure by cutting off oil supply to the upper boom lower function.
 - 1 HYPOWER IM (Idle Mitigation):
 - * A plug in E-PTO efficiency system to reduce idling and fuel consumption during boom operation and cab comfort.
 - * A 48v Lithium ion battery system charged from either a standard 120V plug in and also the chassis engine alternator during road travel.
 - * 2.5 KW Lion battery pack.
 - * An in-cab display to monitor battery voltage, idle, and run-time.
 - * Starts and stops automatically when the truck is put into park and when hydraulic controls engage, utility workers do not have to take physical action to switch from engine to battery powered systems.
 - * Operators experience no lag time in hydraulic responsiveness.
 - * The truck cab to be cooled without the engine running and without the addition of separate A/C unit. It utilizes the trucks cooling vents.
 - * System is approximate 250 lbs.
 - 1 Extended aerial device warranty, two (2) year, in lieu of standard one year warranty for Terex South Dakota, Inc. installed unit.
- BODY, INSTALLATION
 ** BODY INFORMATION **
- 1 Fiberglass Service body per attached specification
 - 1 Install Aerial Device Behind Cab And Install All Associated Components:
 - * Final test and inspect completed unit including stability and dielectric testing

Qty. Description

per manufacturers requirements and ANSI/SIA A92.2-2015.

- 1 Hose and fittings to connect the hydraulic system from the oil reservoir to the pump and unit.
- 1 Platform rest, bottom base
- 1 Chassis Spring Additions:
 - * Build up left rear chassis springs to level vehicle.
- 1 Power take off with indicator light for automatic transmission.
- 1 DOT Inspection.
- 1 Set chassis parameters.
- 1 Back-up alarm to sound when the vehicle is shifted into reverse.
- 2 18" x 18" x 1" poly outrigger pads.
 - * Includes outrigger pad storage.
- 2 Rubber wheel chocks for Brand FX bodies.
- 1 Grab handles as necessary for 3-point contact.
- 1 Rigid stirrup step mounted on side access for ground to body access.
- 1 Access steps to platform from top of body or flatbed floor.
- 2 Mud flap with logo 18" tall.
 - Note: Trim As-Required.
- 1 Under body mounting kit for a pair of mud flaps.
- 1 Material rail 72" long with 6 sliding hooks.
- 1 Boom rest for Aerial, H-frame style weldment used on A-frame, Radials or Out/Down outriggers, 36" wide.
- 1 Labor to install light bar in tailshelf supplied by BFX
- 1 Lighted license plate bracket kit with incandescent light.
- 1 110 volt outlet with GFI.
- 1 12 volt outlet, cigarette electrical style.
- 1 Dimensions 2400N inverter, 2400W continuous, 120VAC, Up to 20A.
- 2 Inverter Spacer Tube

Qty. Description

- 2 Amber strobe light (LED) with 4" tall & 6" dia. lens, and branch guard.
- 2 Strobe mounting bracket weldment.
- 1 Bracket for spotlight mounting.
- 1 Unity 6" round deck mounted LED spot light.
To be installed by windshield post streetside
- 1 Whelen TAM-65 arrow directional LED light stick, 36" long, 6-lamp.
- 1 Remote engine stop/start OR two speed control from rear of vehicle.
Install stop/start at rear of vehicle
- 1 BH82000 Combination Pintle Hook And 2" Ball:
* Safety chain eyes.
"Pintle hook brackets and attachment methods are designed to meet the associated pintle hook ratings. They are not designed for recovery purposes. If recovery attachments are required, please order the appropriate tow eyes."
- 1 ICC rear bumper.
- 2 Recovery tow eye, 29,000#.
- 1 6-prong trailer socket.
- 1 Oil tank mounting for external reservoirs.
- 18 Fill with Hydraulic oil for general purpose use.
* Refer to the product maintenance manual for specific type to be used.
- 1 Safety Kit consists of the following:
* 5-lb ABC fire extinguisher with bracket.
* James King triangle reflector kit.
- 1 Paint body floor with non-skid paint.
- 1 Undercoat body.
- CHASSIS
- 1 Ford F550 4x2 (Spec # 33)
* 18,000 lbs GVWR
* Wheelbase 141", CA 60"
* 7,000-lb capacity front axle
* 13,660-lb capacity rear axle
* Powerstroke 6.7L 330 HP @ 2,600 rpm, torque 750 lb-ft @ 2,000 rpm

Qty. Description

- * 6-speed torq shift automatic transmission, with overdrive
- * Oxford White

SPECIAL CHARGES

- 1 Delivery to Customer.

OPTIONS:

ADD

1. Federal Excise Tax will be added if certificate is not supplied with order.
2. The following items must be considered by the purchaser if not already included:
Back-up Alarm \$150.00; Strobe Light \$525.00; Wheel Chocks \$110.00;
Outrigger Pads \$200.00 to \$650.00 (based on pad size & type); Truck Grounding Cable \$550.00;
Barricade Kit \$895.00; Hydraulic Over Load Protection (derrick only, price will vary
based on final option selection); Boom / Boom Stow Interlock \$700.00; Engine Stop / Start
\$200.00 to \$795.00 (based on unit model); Auxiliary Let Down \$1500.00; and Platform
Liner \$380.00 to \$625.00 (based on platform size).
3. Terex Utilities, Inc. strongly recommends all installation accessories be located up front in
front in the quote or secondarily on the approved engineering drawing. Any accessories located
or relocated during manufacturing may be subject to additional charges.
4. Terex Utilities, Inc. - Assembly in Watertown, South Dakota is ISO 9001:2000 Certified.

QUOTATION

Brand FX LLC

TEREX - WAUKESHA (7)
LINDA WUSSOW
linda.wussow@terex.com

VILLAGE OF OAK PARK
UNIT LT40

Exp. Date: 05/24/2018
Quote No: 83309-0001
BODY: FB 56DXLW

BFXB 56 DUAL EXTRA LONG WIDE SERIES SERV

04/24/2018

Page 1

REF. NO	DESCRIPTION	QTY
	== BFXB 56 DUAL EXTRA LONG WIDE SERIES SERV - 0.000 ==	1
	BFXB 56DXLW SERVICE BODY	1
	SS=29.125/43.125/31.125	
	CS=29.125/43.125/31.125	
	FBCA=50.75	
	OL=103.75	
	REVERSE MOUNT	
SB-WI94	OVERALL WIDTH - 94.00	1
SB-PD18	PACK DEPTH - 18.00	1
	PACK HEIGHT - 40	1
SB-MH25	MOUNTING HEIGHT - 25.00	1
	MODIFY UNDERSTRUCTURE FOR AERIAL	1
SB-USS6	STEEL UNDERSTRUCTURE	1
SB-FA18	ALUM TREADPLATE FLOOR	1
SB-HPA	SMOOTH ALUM HEADER PANEL	1
SB-TKA	ALUMINUM TAILSKIRT	1
SB-CSG	STANDARD BRIGHT WHITE GELCOAT	1
SB-LRH	ROTARY LATCH STAINLESS STEEL	1
	TYPE 304 STAINLESS STEEL HARDWARE	1
SB-HSH	TYPE 304 STAINLESS STEEL DOOR HINGE	1
SB-DHVC	VINYL COVERED S/S CABLE DOOR STOPS	1
SB-CTNS	NON SKID COMPARTMENT TOPS	1
SB-DRA	FULL LENGTH ALUM DRIP RAIL	1
	CLEAR VINYL ROCK GUARDS	1
	AUTOMOTIVE GRADE BUBBLE GASKET	1
	ONE PIECE MOLDED DOORS	1
	WITH AUTOMOTIVE FINISH	
	BOTH SIDES	
	RECESSED DOOR JAMBS	1
	FLOW THROUGH VENTILATION SYSTEM	1
SB-LPE	FULL LED LIGHTING PACKAGE	1
	STOP / TAIL / TURN / MARKER & BACK-UP LIGHT	
SB-HSST	HOTSTICK DOOR (STREET SIDE)	1
SB-HSLS	HOTSTICK FULL LENGTH SHELF-STREET SIDE	1
SB-1CC	STREET FRONT COMP	1
SB-SAD2	-- 2 ADJUSTABLE SHELVES W/DIVIDERS	1
SB-3CC	STREET HORZ COMP	1
	-- OPEN	1
SB-4CC	STREET REAR COMP	1
SB-SAD2	-- 2 ADJUSTABLE SHELVES W/DIVIDERS	1

REF. NO	DESCRIPTION	QTY
SB-5CC	CURB FRONT COMP	1
SB-XLS1	-- LOCKING SWIVEL HOOK MOUNTED 1-3-1	5
SB-7CC	CURB HORZ COMP	1
SB-SFD	-- DIVIDER TRAY (BOTTOM OF COMPARTMENT)	1
SB-8CC	-- EXTRA DIVIDER PACK	2
SB-XLS1	CURB REAR COMP -- LOCKING SWIVEL HOOK MOUNTED 1-3-1	5
SB-LPGO	LED FLEXGLO COMPARTMENT LIGHTING TOP & SIDES OF DOOR PRICED PER COMPARTMENT	6
SB-TSA	TAILSHELF, TREADPLATE ALUMINUM, 30" W/ CS WALK-UP FULL SIDE AND REAR SKIRTS TO BOTTOM OF BODY. WITH 20" CURBSIDE WALK-UP	1
SB-TOGA	TAILSHELF GRAB RAIL, ALUMINUM	1
SB-CTAT	COMPT. TOP, ALUM TREADPLATE (PER SIDE) (BFXB 56S)	2
SB-WLA	WHEEL WELL LINERS - ALUMINUM	1
SB-X1WF	WHEEL CHOCK HOLDER (FENDER) BOTH MOUNTED CURBSIDE	2
SB-X1GH	STAINLESS STEEL GRAB HANDLE	1
SB-MLRL	PUSH/PULL ROD LOCK SYSTEM	1
	COMPLETION DATE IS SUBJECT TO CURRENT LEAD TIME AT DATE OF ORDER	1



Prostrollo Auto Plaza Co.
921 S. Washington Avenue, Madison, South Dakota,
57042
Office: 800-777-4146

Customer Proposal

Prepared for:

Mr. SHELDON SEWARD
TEREX
500 OAKWOOD ROAD/ PO BOX 1150
WATERTOWN, SD 57201
Office: 605-882-4000
Email: Sheldon.Seward@terex.com

Prepared by:

KELLY RUTER
Office: 605-256-9111
Email: kelly@prostrollo.com

Date: 04/10/2018
Vehicle: 2019 F-550 Chassis XL
4x2 SD Regular Cab 145" WB DRW
Quote ID: 19SPEC33
STOCK #: ORDER-OUT





Selected Options

Code	Description
Base Vehicle	
F5G	Base Vehicle Price (F5G)
Packages	
660A	Order Code 660A <i>Includes:</i> - GVWR: 18,000 lbs Payload Package - Tires: 225/70R19.5G BSW AS - Wheels: 19.5" Argent Painted Steel - HD Vinyl 40/20/40 Split Bench Seat Includes center armrest, cupholder, storage and driver's side manual lumbar.
Powertrain	
99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 <i>Includes Diesel Exhaust Fluid (DEF) tank, Intelligent Oil-Life Monitor, manual push-button engine-exhaust braking and split-shaft calibration compatibility.</i> <i>Includes:</i> - Dual 78-AH 750 CCA Batteries
44W	Transmission: TorqShift 6-Speed Automatic (6R140). Includes SelectShift.
X4N	Limited Slip w/4.10 Axle Ratio
STDGV	GVWR: 18,000 lbs Payload Package
Wheels & Tires	
TFB	Tires: 225/70R19.5G BSW AS
64Z	Wheels: 19.5" Argent Painted Steel
Seats & Seat Trim	
A	HD Vinyl 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder, storage and driver's side manual lumbar.</i>
Other Options	
PAINT	Monotone Paint Application
145WB	145" Wheelbase
96V	XL Value Package <i>Includes:</i> - 4.2" Center-Stack Screen - Radio: AM/FM Stereo/MP3 Player Includes 4-speakers. - SYNC Communications & Entertainment System Includes enhanced voice recognition with 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls. - XL Decor Group - Chrome Front Bumper - Steering Wheel-Mounted Cruise Control

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Options (cont'd)

Code	Description
90L	<p>Power Equipment Group</p> <p><i>Deletes passenger side lock cylinder. Includes upgraded door-trim panel.</i></p> <p><i>Includes:</i></p> <ul style="list-style-type: none"> - Accessory Delay - Advanced Security Pack - Includes SecuriLock Passive Anti-Theft System (PATS) and inclination/intrusion sensors. - Trailer Tow Mirrors w/Power Heated Glass - Includes manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals. - MyKey - Includes owner controls feature. - Power Front Side Windows - Includes 1-touch up/down driver/passenger window. - Power Locks - Remote Keyless Entry
473	<p>Snow Plow Prep Package</p> <p><i>Includes pre-selected springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details. NOTE 2: Also allows for the attachment of a winch.</i></p> <p><i>Includes:</i></p> <ul style="list-style-type: none"> - Dual Alternators (Total 332-Amps)
63C	<p>Aft-Axle Frame Extension Pack</p> <p><i>42.4" aft-of-axle frame extension increases AF dimension to 89.4"</i></p>
41H	Engine Block Heater
62R	<p>Transmission Power Take-Off Provision</p> <p><i>Includes transmission mounted live drive and stationary mode PTO.</i></p>
18A	Upfitter Interface Module
67A	Dual Alternators (Total 332-Amps)
585	<p>Radio: AM/FM Stereo/MP3 Player</p> <p><i>Includes 4-speakers.</i></p> <p><i>Includes:</i></p> <ul style="list-style-type: none"> - SYNC Communications & Entertainment System - Includes enhanced voice recognition with 911 Assist, 4.2" LCD center stack screen, AppLink, 1 smart-charging USB port and steering wheel audio controls.

Fleet Options

525_	Steering Wheel-Mounted Cruise Control
17F	<p>XL Decor Group</p> <p><i>Includes:</i></p> <ul style="list-style-type: none"> - Chrome Front Bumper
FLADCR	Fleet Advertising Credit

Emissions

425	50-State Emissions System
-----	----------------------------------

Interior Colors

AS_01	Medium Earth Gray
-------	--------------------------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prostrollo Auto Plaza Co.
921 S. Washington Avenue, Madison, South Dakota,
57042
Office: 800-777-4146

2019 F-550 Chassis, SD Regular Cab
4x2 SD Regular Cab 145" WB DRW XL(F5G)
Price Level: 920 Quote ID: 19SPEC33 STOCK: ORDER-
OUT

Selected Options (cont'd)

Code	Description
Primary Colors	
Z1_01	Oxford White

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. SHELDON SEWARD, TEREX
By: KELLY RUTER Date: 04/10/2018



Prostrollo Auto Plaza Co.
 921 S. Washington Avenue, Madison, South Dakota,
 57042
 Office: 800-777-4146

2019 F-550 Chassis, SD Regular Cab
 4x2 SD Regular Cab 145" WB DRW XL(F5G)
 Price Level: 920 Quote ID: 19SPEC33 STOCK: ORDER-
 OUT

Warranty - Selected Equipment & Specs

Warranty

Basic

Distance 36000 miles Months 36 months

Powertrain

Distance 60000 miles Months 60 months

Corrosion Perforation

Distance Unlimited miles Months 60 months

Roadside Assistance

Distance 60000 miles Months 60 months

Diesel Engine

Distance 100000 miles Months 60 months

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: Mr. SHELDON SEWARD, TEREX
 By: KELLY RUTER Date: 04/10/2018



Selected Equipment & Specs

Dimensions

Exterior length: 273.0" * Cab to axle: 60.0" * Exterior width: 80.0" * Exterior height: 81.7" * Wheelbase: 145.0" * Front track: 74.8" * Rear track: 74.0" * Turning radius: 21.2' * Rear tire outside width: 93.9" * Min ground clearance: 8.2" * Front legroom: 43.9" * Front headroom: 40.8" * Front hiproom: 62.5" * Front shoulder room: 66.7" * Passenger volume: 64.6cu.ft. * Cargo volume: 11.6cu.ft. * Maximum cargo volume: 11.6cu.ft.

Powertrain

Powerstroke 330hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection * Recommended fuel : diesel * federal * TorqShift 6 speed automatic transmission with overdrive * Rear-wheel drive * Limited slip differential * Fuel Economy Cty: N/A * Fuel Economy Highway: N/A * Transmission PTO provision

Suspension/Handling

Front Mono-beam non-independent suspension with anti-roll bar, HD shocks * Rear DANA M300 rigid axle leaf spring suspension with anti-roll bar, HD shocks * Firm ride Suspension * Hydraulic power-assist re-circulating ball Steering * Front and rear 19.5 x 6 argente steel wheels * LT225/70SR19.5 GBSW AS front and rear tires * Dual rear wheels

Body Exterior

2 doors * Driver and passenger power remote heated, manual folding door mirrors with turn signal indicator * Turn signal indicator in mirrors * Black door mirrors * Chrome bumpers * Trailer harness * Clearcoat paint * Front and rear 19.5 x 6 wheels * 2 front tow hook(s)

Convenience

Manual air conditioning with air filter * Cruise control with steering wheel controls * Power front windows * Driver and passenger 1-touch up * Driver and passenger 1-touch down * Remote power door locks with 2 stage unlock and illuminated entry * Manual tilt steering wheel * Manual telescopic steering wheel * Day-night rearview mirror * 911 Assist emergency SOS * Wireless phone connectivity * AppLink smart device integration * 2 1st row LCD monitors * Front cupholders * Passenger visor mirror * Driver and passenger door bins

Seats and Trim

Seating capacity of 3 * Front 40-20-40 split-bench seat * 4-way driver seat adjustment * Manual driver lumbar support * 4-way passenger seat adjustment * Centre front armrest with storage

Entertainment Features

AM/FM stereo radio * SYNC external memory control * Steering wheel mounted radio controls * 4 speakers * Streaming audio * Fixed antenna

Lighting, Visibility and Instrumentation

Halogen aero-composite headlights * Delay-off headlights * Fully automatic headlights * Variable intermittent front windshield wipers * Light tinted windows * Front reading lights * Tachometer * Compass * Outside temperature display * Trip computer * Trip odometer

Safety and Security

4-wheel ABS brakes * Brake assist * 4-wheel disc brakes * Driveline traction control * Dual front impact airbag supplemental restraint system with passenger cancel * Dual seat mounted side impact airbag supplemental restraint system * Safety Canopy System curtain 1st row overhead airbag supplemental restraint system * Remote activated perimeter/approach lighting * Power remote door locks with 2 stage unlock and panic alarm * Security system with SecuriLock immobilizer * MyKey restricted driving mode * Manually adjustable front head restraints

Dimensions

General Weights

Curb	7453 lbs.	GVWR	18000 lbs.
Front GAWR	7000 lbs.	Rear GAWR	13660 lbs.
Payload	10670 lbs.	Front curb weight	4299 lbs.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Rear curb weight	3154 lbs.	Front axle capacity	7000 lbs.
Rear axle capacity	13660 lbs.	Front spring rating	7000 lbs.
Rear spring rating	15000 lbs.	Front tire/wheel capacity	7500 lbs.
Rear tire/wheel capacity	15000 lbs.		

Trailer Type

Harness	Yes	Trailer sway control	Yes
---------------	-----	----------------------------	-----

General Trailering

5th-wheel towing capacity	23000 lbs.	Gooseneck towing capacity	23000 lbs.
Towing capacity	18500 lbs.	GCWR	31000 lbs.

Fuel Tank type

Capacity	40 gal.
----------------	---------

Off Road

Min ground clearance	8 "
----------------------------	-----

Interior cargo

Cargo volume	11.6 cu.ft.	Maximum cargo volume	11.6 cu.ft.
--------------------	-------------	----------------------------	-------------

Rear Frame

Height loaded	29 "	Height unloaded	36 "
---------------------	------	-----------------------	------

Powertrain

Engine Type

Brand	Powerstroke	Block material	Iron
Cylinders	V-8	Head material	Aluminum
Ignition	Compression	Injection	Diesel direct injection
Liters	6.7L	Orientation	Longitudinal
Recommended fuel	Diesel	Valves per cylinder	4
Valvetrain	OHV	Forced induction	Intercooled turbo

Engine Spec

Bore	3.90"	Compression ratio	16.2:1
Displacement	406 cu.in.	Stroke	4.25"

Engine Power

Output	330 HP @ 2,600 RPM	Torque	750 ft.-lb @ 2,000 RPM
--------------	--------------------	--------------	------------------------

Alternator

Type	Dual	Amps	332
------------	------	------------	-----

Battery

Amp hours	78	Cold cranking amps	750
Run down protection	Yes	Type	Dual

Engine Extras

Block heater	Yes
--------------------	-----

Transmission

Electronic control	Yes	Lock-up	Yes
Overdrive	Yes	Speed	6
Type	Automatic		

Transmission Gear Ratios

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

1st	3.974	2nd	2.318
3rd	1.516	4th	1.149
5th	0.858	6th	0.674
Reverse Gear ratios	3.128		
Transmission Torque Converter			
Stall ratio	1.90		
Transmission Extras			
Driver selectable mode	Yes	Sequential shift control	SelectShift
PTO provision	Yes		
Drive Type			
Type	Rear-wheel		
Drive Feature			
Limited slip differential	Mechanical	Traction control	Driveline
Power take-off provision	Yes		
Drive Axle			
Ratio	4.1		
Exhaust			
Material	Stainless steel	System type	Single
Emissions			
CARB	Federal		
fuel Economy			
Fuel type	Diesel		
Engine Retarder			
Type	Yes		
Driveability			
Brakes			
ABS	4-wheel	ABS channels	3
Type	4-wheel disc	Vented discs	Front and rear
Brake Assistance			
Brake assist	Yes		
Suspension Control			
Ride	Firm		
Front Suspension			
Independence	Mono-beam non-independent	Anti-roll bar	Regular
Front Spring			
Type	Coil	Grade	HD
Front Shocks			
Type	HD		
Rear Suspension			
Independence	DANA M300 rigid axle	Type	Leaf
Anti-roll bar	Regular		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prostrollo Auto Plaza Co.
 921 S. Washington Avenue, Madison, South Dakota,
 57042
 Office: 800-777-4146

2019 F-550 Chassis, SD Regular Cab
 4x2 SD Regular Cab 145" WB DRW XL(F5G)
 Price Level: 920 Quote ID: 19SPEC33 STOCK: ORDER-
 OUT

Selected Equipment & Specs (cont'd)

Rear Spring

Type Leaf Grade HD

Rear Shocks

Type HD

Steering

Activation Hydraulic power-assist Type Re-circulating ball

Steering Specs

of wheels 2

Exterior

Front Wheels

Diameter 19.5" Width 6.00"

Rear Wheels

Diameter 19.5" Width 6.00"
 Dual Yes

Front and Rear Wheels

Appearance Argent Material Steel

Front Tires

Aspect 70 Diameter 19.5"
 Sidewalls BSW Speed S
 Tread AS Type LT
 Width 225mm LT load rating G
 RPM 647

Rear Tires

Aspect 70 Diameter 19.5"
 Sidewalls BSW Speed S
 Tread AS Type LT
 Width 225mm LT load rating G
 RPM 647

Wheels

Front track 74.8" Rear track 74.0"
 Turning radius 21.2' Wheelbase 145.0"
 Rear tire outside width 93.9"

Body Features

Front license plate bracket Yes Front splash guards Yes
 Body material Aluminum Side impact beams Yes
 Front tow hook(s) 2

Body Doors

Door count 2

Exterior Dimensions

Length 273.0" Body width 80.0"
 Body height 81.7" Cab to axle 60.0"
 Axle to end of frame 89.4" Frame section modulus 12.7cu.in.
 Frame yield strength (psi) 50000.0 Frame rail width 34.2"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Front bumper to Front axle	38.3"	Cab to end of frame	149.4"
Front bumper to back of cab	123.7"		

Safety

Airbags

Driver front-impact	Yes	Driver side-impact	Seat mounted
Overhead	Safety Canopy System curtain 1st row	Passenger front-impact	Cancellable
Passenger side-impact	Seat mounted		

Seatbelt

Height adjustable	Front
-------------------------	-------

Security

Immobilizer	SecuriLock	Panic alarm	Yes
Restricted driving mode	MyKey		

Seating

Passenger Capacity

Capacity	3
----------------	---

Front Seats

Split	40-20-40	Type	Split-bench
-------------	----------	------------	-------------

Driver Seat

Fore/aft	Manual	Reclining	Manual
Way direction control	4	Lumbar support	Manual

Passenger seat

Fore/aft	Manual	Reclining	Manual
Way direction control	4		

Front Head Restraint

Control	Manual	Type	Adjustable
---------------	--------	------------	------------

Front Armrest

Centre	Yes	Storage	Yes
--------------	-----	---------------	-----

Front Seat Trim

Material	Vinyl	Back material	Vinyl
----------------	-------	---------------------	-------

Convenience

AC And Heat Type

Air conditioning	Manual	Air filter	Yes
------------------------	--------	------------------	-----

Audio System

Radio	AM/FM stereo	Radio grade	Regular
Seek-scan	Yes	External memory control	SYNC

Audio Speakers

Speaker type	Regular	Speakers	4
--------------------	---------	----------------	---

Audio Controls

Steering wheel controls	Yes	Voice activation	Yes
-------------------------------	-----	------------------------	-----

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Streaming audio	Bluetooth yes		
<i>Audio Antenna</i>			
Type	Fixed		
<i>LCD Monitors</i>			
1st row	2	Primary monitor size (inches)	4.2
<i>Cruise Control</i>			
Cruise control	With steering wheel controls		
<i>Convenience Features</i>			
Retained accessory power	Yes	12V DC power outlet	2
Emergency SOS	911 Assist	Wireless phone connectivity	Bluetooth
Smart device integration	App link		
<i>Door Lock Activation</i>			
Type	Power with 2 stage unlock	Remote	Keyfob (all doors)
Integrated key/remote	Yes		
<i>Instrumentation Type</i>			
Display	Analog		
<i>Instrumentation Gauges</i>			
Tachometer	Yes	Engine temperature	Yes
Turbo/supercharger boost	Yes	Transmission fluid temp	Yes
Engine hour meter	Yes		
<i>Instrumentation Warnings</i>			
Oil pressure	Yes	Engine temperature	Yes
Battery	Yes	Lights on	Yes
Key	Yes	Low fuel	Yes
Door ajar	Yes	Service interval	Yes
Brake fluid	Yes		
<i>Instrumentation Displays</i>			
Clock	In-radio display	Compass	Yes
Exterior temp	Yes	Systems monitor	Yes
<i>Instrumentation Feature</i>			
Trip computer	Yes	Trip odometer	Yes
<i>Steering Wheel Type</i>			
Material	Urethane	Tilting	Manual
Telescoping	Manual		
<i>Front Side Windows</i>			
Window 1st row activation	Power		
<i>Window Features</i>			
1-touch down	Driver and passenger	1-touch up	Driver and passenger
Tinted	Light		
<i>Front Windshield</i>			
Wiper	Variable intermittent		
<i>Rear Windshield</i>			

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Selected Equipment & Specs (cont'd)

Window Fixed

Interior

Passenger Visor

Mirror Yes

Rear View Mirror

Day-night Yes

Headliner

Coverage Full Material Cloth

Floor Trim

Coverage Full Covering Vinyl/rubber

Trim Feature

Gear shift knob Urethane Interior accents Chrome

Lighting

Dome light type Fade Front reading Yes

Illuminated entry Yes Variable IP lighting Yes

Storage

Driver door bin Yes Front Beverage holder(s) Yes

Glove box Locking Passenger door bin Yes

Illuminated Yes Instrument panel Bin

Dashboard Covered

Legroom

Front 43.9"

Headroom

Front 40.8"

Hip Room

Front 62.5"

Shoulder Room

Front 66.7"

Interior Volume



Passenger volume 64.6 cu.ft.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Performance

Performance predictions in this report represent an estimate of vehicle performance based on standard operating conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques can cause significant variations in vehicle performance. These values are not representative of results that may be shown in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.




Dimensions

A	Front of Bumper to Front Axle	38.30 in.
B	Front Bumper to Back of Cab (BBC)	123.70 in.
C	Wheelbase (WB)	145.00 in.
D	Overall Length (OAL)	273.00 in.
E	Back of Cab to Rear Axle (CA)	60.00 in.
F	Back of Cab to End of Frame	149.40 in.
G	Rear Axle to End of Frame (AF)	89.40 in.
H	Frame Section Height	N/A
I	Rear Frame Height Unloaded	35.90 in.
I	Rear Frame Height Loaded	28.60 in.
J	Cab Height	81.70 in.
K	Body Width	80.00 in.
L	Maximum Ground Clearance	N/A
L	Minimum Ground Clearance	8.20 in.
M	Front Tread	74.80 in.
M	Rear Tread	74.00 in.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Performance (cont'd)



Weight

GVW	Front Axle	Rear Axle	Totals
Chassis	4,302 lbs	3,156 lbs	7,458 lbs
Body	0 lbs	0 lbs	0 lbs
Occupants Weight	300 lbs	150 lbs	450 lbs
1 Max Payload - (Max Payload)	2,398 lbs	7,694 lbs	10,092 lbs
TOTAL	7,000 lbs	11,000 lbs	18,000 lbs

Ratings	Front Axle	Rear Axle	GVWR
GAWR	7,000 lbs	13,660 lbs	18,000 lbs
Wheels/Tires	7,500 lbs	15,000 lbs	
Suspension	7,000 lbs	15,000 lbs	
Axle	7,000 lbs	13,660 lbs	
Legal Axle Limit	0 lbs	0 lbs	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Performance (cont'd)

Start, Grade and Speed

Start	Ratio	Desired	Calculated
Start grade capability in 1st gear	3.97	15.00 %	39.00 %
Start grade capability in reverse	3.13	15.00 %	30.70 %
Grade	Ratio	Desired	Calculated
Maximum grade in 4th gear	1.15	3.00 %	11.87 %
Maximum grade in 5th gear	0.86	3.00 %	8.86 %
Maximum grade in 6th gear	0.67	3.00 %	6.96 %
Speed		Desired	Calculated
Top Speed (level grade)		75 mph	105 mph
<i>To meet your requirement you need a maximum axle ratio of 5.72</i>			
Top Speed on 3.0% grade		55 mph	
<i>To meet your requirement you need a maximum of 115 hp</i>			
Cruise Speed		60 mph	77 mph
Engine RPM at desired cruise speed			1,788 rpm

Variables in Use


Rear axle ratio:	4.10/4.10	Governed RPM:	3,120 rpm
Tire size:	225/70R19.5 (647 rev/mile)	Frontal Area:	40.39 Sq.Ft.
Gross Vehicle Weight (GVW):	18,000 lbs	Cruising RPM:	2,300 rpm
Clutch engagement torque:	375 ft.lbs.	Worst road surface:	Typical Highway
Torque conversion ratio:	1.90	Final Drive Ratio:	0.67
Peak engine torque:	750 ft.lbs.	Drag Coefficient:	0.80
Engine Power:	330 hp @ 2,600 rpm		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.




Performance (cont'd)

Shift Chart



Turning Radius

Turning Radius 21.25 ft



Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



March 20, 2018

Re: Terex Utilities Equipment Steel Surcharge

Dear Valued Terex Utilities Customer:

I'm writing as a follow-up to John Garrison's March 6 letter, which informed you of Terex Corporation's intentions to implement a steel surcharge due to the rapidly escalating price of steel to heights not seen in many years. This has only been accelerated by the recent announcement and signing of the Presidential Proclamation imposing U.S. tariffs on steel. The following provides additional background and the specific surcharge plans for Terex Utilities products.

Current steel futures prices for the remainder of 2018 are ~40% higher than steel prices were in Q4 2017, when we planned and established our prices for the year. Commodity cost increases of this magnitude in such a short period of time were not and could not be anticipated.

Terex Utilities cannot absorb all these costs, so we are applying a 3% surcharge on all new orders and those orders in our backlog with delivery dates on or after May 1, 2018. The price of the chassis will be excluded from this surcharge.

We realize that this type of increase is difficult and unexpected. Terex Utilities is absorbing much of the steel increase and we will be closely monitoring and doing everything we can to mitigate cost increases, while ensuring the quality and continuity of supply that you expect. We will adjust or remove the surcharge as steel prices normalize and return to prior levels.

We appreciate your business and loyalty and are committed to work through this with you. Please contact your account manager with any questions or concerns.

Sincerely,

A handwritten signature in black ink, appearing to read 'Clint Weber', written in a cursive style.

Clint Weber

Vice President & General Manager, Terex Utilities

Terex Utilities
500 Oakwood Road
Watertown, SD 57201

Tel +1 605 882 4000
Fax +1 605 882 1842
www.terex.com/utilities

WORKS FOR YOU.™