



Shop Order

Oak Park FD
 260 Madison St
 Oak Park, IL 60302

Alexis Fire
 Kevin Hunter
 109 East Broadway
 Alexis, IL

Exp. Date: 04/30/2015
 Quote No: 10009-0001
 TYPE I: 172T1LWXFT 172 LWB Ford T1 X Series Top Level
 GENERAL: GEN_INFO X *****BID STANDARDS*****
 CHASSIS: F-4/550LB *****F-Series 189 WB CHASSIS*****
 CONVERSION: 172T1LWBFX 172 x 96 T-1 LWB Ford X-Series, BASE
 BASE: 172T1LWBX 172 x 96 T-1 LWB Ford X Base Price

06/11/2015

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== *****BID STANDARDS***** - 0.000 02/07/11 ==	1	AEV
00-00-0010	<	-- ORDER NUMBER	1	AEV
		ORDER NUMBER ??XX-????????????????????????????????		
00-10-0015		Vehicle Quantity (Vehicles)	1	AEV
00-10-0022		Quality Management System ISO 9001:2008 Registered	1	AEV
00-91-0002		BODY NUMBER:	1	AEV
00-91-0005		-- MICKEY BODY DUE DATE :	1	AEV
00-91-0003		CHASSIS VIN NUMBER:	1	AEV
00-91-0017		ACCOUNT MANAGER: Josh Cruely	1	AEV
00-91-0027		REFERENCE UNIT #:	1	AEV
00-91-0028		RE-WRITE DATE :	1	AEV
00-91-0040		SEAT BELT POSITIONS MODS	1	AEV
00-91-0042		-- CAB SEAT BELT MOD:	1	AEV
00-91-0044		-- Total: 2 Positions	1	AEV
00-91-0050		-- REAR SEAT BELT MOD:	1	AEV
00-91-0054		 -- Total: 4 Positions	1	AEV
00-99-9000		Revision Level: 0 - Zero - ORIGINAL VERSION	1	AEV
00-99-9030		Change Order Level: 0 - Zero - ORIGINAL VERSION	1	AEV
	>	Aluminum Composite Cabinet Configuration	1	AEV
		== *****F-Series 189 WB CHASSIS***** - 0.000 02/07/11 ==	1	AEV
01-1F-0000		Type I Modular Ambulance	1	AEV
01-AK-1F49	< >	2015 Ford, F-550 4 x 4 DRW Reg Cab, 189" WB, XLT	1	AEV
		Call for price and body configuration.		
01-1F-0085		 -- Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - F-series	1	AEV
01-1F-02CL		 -- Cab Interior Color: Gray (F-series)	1	AEV
01-1F-02T0		 -- F-Series 188.8" wheelbase- Turning Diameter 54.8' curb to curb	1	AEV
01-1F-04PU		 -- GVWR: 18,000 pounds, FAWR: 7,000, RAWR: 13,660 (4x4)	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
01-FL-TI06		/-- Tire, SPARE: Matching, Random Make	1	AEV
01-FM-TI01		/-- Location: Shipped Loose	1	AEV
01-TU-0112		/-- Jack and Tire Tools: Install behind Passenger's seat	1	AEV
01-FM-4WH3	S	/-- Wheel Finish: Aluminum Wheels OEM	1	AEV
01-FM-DL01	>	/-- Cab Door Locks: Power	1	AEV
01-FM-DTRL		/-- Daytime Running Lights: Ford OEM	1	AEV
01-FM-TIR3		/-- Tires: F-4/550, All season, Random Mk 225/70 R19.5, LR F	1	AEV
01-OE-47LF	>	/-- 47L - Ambulance Prep Package - F-Series	1	AEV
01-OE-47A1		/-- Alternator: Dual (OEM) Motorcraft Dual Per 47L/A	1	AEV
01-OE-47A4		/-- Throttle: Ford High Idle	1	AEV
01-RR-05B4		/-- Radio, F-series: OEM AM/FM/CD, w/ 4 cab speakers	1	AEV
01-SY-0000	>	/-- Ford SYNC installed 91N	1	AEV
03-EA-44PR		/-- Side Mirrors, OEM: (F-Series) Pwr glass, Manual Telescopic	1	AEV
04-SU-1502	<	/-- Rear Suspension: F-450/ 550 189" WB SQUAT ILOS	1	AEV
		NOTE: If Oxygen Lift is installed, then if the O2 Cmpt Door is open, the kneeling suspension will not dump until door is closed		
04-SU-03F6	<	/-- Rear Stabilize (Sway) Bar: OEM, Ford F-450/550 Installed with Suspension by AEV.	1	AEV
04-SU-0601		/-- Kneeling Feature: Enable Switch Located in CAB console	1	AEV
04-SU-0610		/-- Kneeling Feature: Activated by TRAILING rear access door	1	AEV
04-SU-0651		/-- Exhaust system termination point: OEM Location, Rt Rear	1	AEV
04-VP-0010	<	/-- Vacuum Pump: For Heater Solenoid and Valves Use Pump-Vac and Pump-Vaceh on F-350 Models	1	AEV
13-00-0102		NC Inspection Required: NONE	1	AEV
ZZ-ZZ-ZZZZ			1	AEV
		== 172 x 96 T-1 LWB Ford X-Series, BASE - 0.000 02/07/11 ==	1	AEV
06-EA-01FC	<	Tire valve extensions Type 1 F series with Alcoa Aluminum Wheels Install (1) EXTE-VALV04 (1) EXTE-VALVPLUG in outer rim to support valve extension	1	AEV
		BODY	1	AEV
02-00-0002	< >	/-- Body Build Information Body Number; Account Manager; Chassis Type : Mickey Body Due Date;	1	AEV
02-00-0003	<	/-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	AEV
02-00-0010			1	AEV
02-B2-XO92	S <	Body, Mod: Type 1 LWB, 172" x 96" x 74" Interior HR - 6" Body Drop x MODULE HEAD ROOM: The module shall not be less than seventy four (74) inches actual measured headroom. The measurement shall be taken from the patient compartment floor to the ceiling panels.	1	AEV
02-00-0006	S <	/-- Headroom: 76/74" Finished Interior - Ducted A/C INTERIOR HEADROOM: The interior finished working headroom in the patient area of the ambulance shall be seventy four (74) inches from floor to ceiling.	1	AEV
02-00-0010		/--	1	AEV
02-B0-CC01	<	/-- Compartment Construction: STANDARD, Unless Specified Otherwise Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-SFL0	<	/-- Compt Floors: Sweep-out, even with bottom door jamb Unless Specified Otherwise.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
02-B0-CC18		-- Compartment Ventilation - Austin Flap style #VT-2495-A01, STD	1	AEV
02-B0-CEX2		-- Curbside Entry Door (CSE): 84.813"H x 31.0"W X w/6" drop	1	AEV
02-B0-09B2		-- C/S Door Check : Double Action Gas Shock	1	AEV
04-EA-09B1		-- Door Swing Angle: Set just over 90 degrees	1	AEV
02-B0-CESL		-- Curbside Entry Door (CSE) Location: Standard, Rearward of M-7 Compt if Optioned	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
02-B1-SWX2	<	-- Step Well, CURBSIDE Entry Door, 2-Step Embossed Diamond Plate (2) Steps : 9" Risers x 10" Tread	1	AEV
05-IL-09X1	< >	-- Light, Step Well: 3" Kinequip #4302S, Chrome, LED, STD Light shall come on with CS door only.	1	AEV
02-BD-0120	>	-- Body Drop: 6" Both Sides, Ahead of Rear Wheels	1	AEV
02-X1-M150	S < >	-- M-1 Compt (LF): 69.5" H x 22.125" W x 20.0" D M1 and M3 Door handles to be same height	1	AEV
02-B0-CCM1	<	-- M-1 Compartment Construction: Smooth Aluminum ILOS Sides and Back: .090 Aluminum Sheet Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC09		-- Compartment Door Panel: Smooth Aluminum	1	AEV
02-B0-CFM1	>	-- Compartment Surface Finish: Speed Liner, Black - M-1	1	AEV
02-B0-CFN1	>	-- Component Finish (Shelf/Tray/Divider): Speedliner Black Each	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
04-TS-1400	S < >	-- Divider, Vertical, Full compartment height, alum, Fixed 11" from wall #1 Divider to be speedlined	1	AEV
05-EL-49X6	<	-- Light, Cmpt: Vista LED Rope Style #FSW1F, ILOS X-Series units MTB Note: No light hole required	1	AEV
05-EL-49X7	<	-- Light, Cmpt: Vista LED Rope Style #FSW1F, IATS X-Series units MTB Note: No light hole required	1	AEV
08-B1-02LI		-- Prep for 02 Lift: NONE	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M1AD	>	-- M-1A Comp (LF Upper):72 HR, 17.56" H x 22.125" W x 20.0" D	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-CC16		-- Compartment Door Ventilation - small punched half moon Louvered Door	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV
05-EL-40XB	<	-- Light, Compt, LED, M-1A (LF Upper): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
12-ZZ-ZZZZ		--	1	AEV
02-X1-M276	S < >	-- M-2 Compt (LFM): 40.5" H x 49.875" W x 20.0" D Custom box off for interior cabinets	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
02-B0-CC08		-- <i>Compartment Door Panel: Diamond Plate</i>	1	AEV
12-DC-GA10		-- <i>Compartment Finish: Diamond Plate Standard</i>	1	AEV
02-B0-SWFL		-- <i>Compt Floor: Sweep-out, even with bottom door jamb.</i>	1	AEV
02-B1-BIOX	<	-- <i>Bio-Waste: Diamond Plate Closeout for Bio in A/A</i> Dogleg for interior access bio-waste. 14" W x 13"H and compartment depth less 2".	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
02-B1-ELEH		-- <i>Electrical Compartment : Circuit Board Storage relocated to cabinet H</i>	1	AEV
02-BC-10D0		-- <i>Doors, Compartment, DOUBLE DOORS (std)</i>	1	AEV
04-TS-11D3		-- <i>M-2 Shelf, Adjustable, Ext: .125 Alum, 2" Upward lip</i>	1	AEV
04-TS-4010		-- <i>Shelf Bracket: CPI 90 Deg with Slotted Holes</i>	1	AEV
05-EL-49X6	<	-- <i>Light, Cmp: Vista LED Rope Style #FSW1F, ILOS X-Series units</i> MTB Note: No light hole required	1	AEV
05-EL-49X7	<	-- <i>Light, Cmp: Vista LED Rope Style #FSW1F, IATS X-Series units</i> MTB Note: No light hole required	1	AEV
05-HA-13HA	>	-- <i>Condenser: OEM Only, Compt Floor Standard</i>	1	AEV
06-RR-13Z0		-- <i>Standard Conduit: 1-1/2"', with pull wire</i>	1	AEV
06-RR-13O4	S	-- CONDUIT ORIENTATION POINT: M-1A compartment	1	AEV
06-RR-13T3		-- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)	1	AEV
06-RR-13Z1		-- <i>Additional Conduit: 1-1/2"', with pull wire, Type 1 units</i>	1	AEV
06-RR-13O1		-- CONDUIT ORIENTATION POINT: Electrical Circuit board cabinet	1	AEV
06-RR-13T2		-- CONDUIT TERMINATION POINT: Behind Driver's seat	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M379	S <	-- M-3 Compt (LR): 61.5" H x 36.6" W x 10/20.0" D M1 and M3 Door handles to be same height Note: Half Depth compartment in upper section	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- <i>Compartment Door Panel: Diamond Plate</i>	1	AEV
12-DC-GA10		-- <i>Compartment Finish: Diamond Plate Standard</i>	1	AEV
02-B0-SWFL		-- <i>Compt Floor: Sweep-out, even with bottom door jamb.</i>	1	AEV
02-BC-1000		-- <i>Compartment Doors: DOUBLE DOORS, ILOS single</i>	1	AEV
05-EL-49X6	<	-- <i>Light, Cmp: Vista LED Rope Style #FSW1F, ILOS X-Series units</i> MTB Note: No light hole required	1	AEV
05-EL-49X7	<	-- <i>Light, Cmp: Vista LED Rope Style #FSW1F, IATS X-Series units</i> MTB Note: No light hole required	1	AEV
09-ZZ-ZZZZ	S <	-- 2 Separate Aluminum Plates on Unistrut Unistrut to run full height of Wall #2 Both plates to be DA sanded aluminum.	2	AEV
09-ZZ-ZZZZ	X	--	1	
02-X1-M574	S <	-- M-5 Compt (RR): 72 HR, 84.812" H x 25.625" W x 21." D M5, M7, and Curbside door handles to be same height	1	AEV
02-B0-CCM5	<	-- M-5 Compartment Construction: Smooth Aluminum ILOS Sides and Back: .125 Aluminum Sheet Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
02-B0-CC09		/-- Compartment Door Panel: Smooth Aluminum	1	AEV
02-B0-CFM5	>	/-- Compartment Surface Finish: Speed Liner, Black - M-5	1	AEV
02-B0-CFN1	>	/-- Component Finish (Shelf/Tray/Divider): Speedliner Black Each	2	AEV
02-B0-CC12	<	/-- Compartment Ventilation - Compartment Ceiling O O O O	1	AEV
		MTB NOTE: Specified compartments shall have a hat channel at the ceiling level. The hat channel shall run to no closer than 1" from the compartment side walls to allow for air exchange. Hidden from view, shall be two to three, (4") holes above the hat channel to exhaust the compartment air when the door is closed to allow it to close with minimal effort.		
02-B0-SWFL		/-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A5		/-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
04-TS-20M5	S <	/-- M-5 Divider, Fixed, (1) 14x60 H, (2) ADJ Shelves Bottom of shelf to be 42" from the compartment floor.	1	AEV
04-TS-1003		/-- Divider Material: .188 Aluminum Sheet	1	AEV
04-TS-STR1	<	/-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle This strap is to secure things from moving while the vehicle is in motion, it is not a tested device and is not designed to be a crash stable securing device.	1	AEV
04-TS-STR2		/-- 2" Footman Loops: Locate back from jamb	1	AEV
04-TS-STR1	<	/-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle This strap is to secure things from moving while the vehicle is in motion, it is not a tested device and is not designed to be a crash stable securing device.	1	AEV
04-TS-STR2		/-- 2" Footman Loops: Locate back from jamb	1	AEV
05-EL-40X5	<	/-- Light, Compt, LED, M-5 (RR): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
09-ZZ-ZZZZ	S <	/-- Retainer Bar Installed Mount a 6" wide 1/4" piece of aluminum across the top of the compartment so that the backboards get installed top first and the board(s) sit behind the piece of aluminum that is at the front of the cabinet. To be 69" from floor to bottom of bar	1	AEV
09-ZZ-ZZZ1	X	/--	1	
02-X1-M676	>	/-- M-6 Compt (RRFwd): 19.0" H x 17.438" W x 20.0" D	1	AEV
02-B0-CC02	<	/-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		/-- Compartment Door Panel: Diamond Plate	1	AEV
12-DC-GA10		/-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-SWFL		/-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A0		/-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV
05-EL-40X6	<	/-- Light, Compt, LED, M-6 (RRF): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
09-ZZ-ZZZZ		/--	1	AEV
02-X1-M775	S < >	/-- M-7 Compt (RF): 72 HR, 67.5" H x 25.25" W, I/O to ALS M5, M7, and Curbside door handles to be same height	1	AEV
02-BC-10A5		/-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
05-EL-40M7		/-- Light, Compt, M-7 (RF): NONE	1	AEV
12-ZZ-ZZZZ		/--	1	AEV
02-X1-M888		/-- M-8 Drawer (RF): NONE. Batteries Under Hood	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-ZZ-ZZZZ		--	1	AEV
02-X1-RA02	>	-- Rear Access Doors: 46.75" Wide x 60.625" High	1	AEV
02-XC-0600		-- Talk through, Cab to Mod Window (T1) With Sliding Window	1	AEV
02-BC-0700	<	-- Cab Roof Support : 3/16" x 3" Steel Plate, Per Engineering Drawing Between cab headliner and bottom side of cab roof to prevent oil canning.	1	AEV
09-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
09-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
		WELDING - CELL 1	1	AEV
04-AS-1800	>	 -- Stainless Steel - Sill protection: For the following compartments	1	AEV
04-AS-18M0	<	 -- M-1A: Left Front Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-18M1	<	 -- M-1: Left Front Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-18M2	< >	 -- M-2: Left Front Middle Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-18M3	< >	 -- M-3: Left Rear Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-18M5	< >	 -- M-5: Right Rear Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-18M6	< >	 -- M-6: Right Rear Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-18M7	< >	 -- M-7: Right Front Compartment - Single Bend AEV to fabricate	1	AEV
04-AS-06A0	<	Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std) AEV Part No: HOUS-1045	1	AEV
04-AS-0204	<	 -- Fuel over Fill protection plate: Stainless Steel 12" Wide Stainless steel shield shall be contoured to fit under the fuel filler housing.	1	AEV
04-AS-0801		Urea Fill: CPI FG5301-1 Inlet Housing	1	AEV
04-AS-0440	<	 -- DEF over fill protection plate: Stainless Steel 9-1/2" wide stainless steel shield shall be contoured to fit under the filler housing.	1	AEV
04-AS-0370		-- Wire/Hose Cover : Diamond Plate, Between Cab & Module	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
04-BW-ABX3	< >	-- Bumper, Rear: X-Series STD, w/ Embossed D/P Pontoon Covers X-Series Design.	1	AEV
		Purchasing NOTE : Special Order from CCP. Delete standard rear bumper assembly from Mickey Body		
04-BW-FLIT		-- Step, Center: 2" x 9" Grip strut, flip-up, recessed	1	AEV
04-EA-1306		 -- Dock Bumpers: Rubber D-Shape, 4" H x 18" W x 4" Thick	1	AEV
04-BW-RF20	<	 -- Fenders, Rear: Rubber Extruded, Black MTB #7215439	1	AEV
04-BW-DN00		-- Corner Caps "X Series:	1	AEV
04-BW-DN23	<	 -- Front Corner Caps: 24.0" High, Alum Diamond Plate NOTE: Standard Front Corner Caps from Mickey Body	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-BW-DN33	< >	 -- Rear Corner Caps: 24" High, Polished Diamond Plate, X-Series Purchasing NOTE : Special Order from CCP. Delete standard rear corner caps from MTB	1	AEV
ZZ-ZZ-ZZZZ		 --	1	AEV
04-BW-DP26	S < >	 -- Rear Kick Plate: Smooth Aluminum Purchasing NOTE : Special Order from CCP. Delete standard rear kick-plate from Mickey Body Smooth aluminum	1	AEV
04-AS-0507	< >	 -- Holder, License Plate, CPI LP0002-1-D-UA with LED lights Delete standard Tag cut out. Comes complete with two lights installed LED. AEV HOLD-21DUA	1	AEV
04-AS-0522	S <	 -- Location, above the kickplate, below the turn signal	1	AEV
05-EL-44XL	<	-- Rear Flip up Step Lights, (2), Kinequip LED Strip light #KFL-SLC8 Mounted above rear bumper flip up step, in kick-plate recess	1	AEV
ZZ-ZZ-ZZZZ		 --	1	AEV
04-BW-DP93	<	-- Front Stone Guards: 24.0" High, Alum Diamond Plate If there is a body drop, add the appropriate height to Stone Guards.	1	AEV
04-BW-DPX2	< >	-- Skirt Rails: Polished D/P, w/ Kinequip Strip Lights, STD X-Series Design has (12) LITE-KSLC8 lights Purchasing NOTE : Special Order from CCP. Delete standard skirt rails from Mickey Body	1	AEV
05-EL-SKX1	<	-- Skirt rail Lights, Front Pair (1) Each side, forward position, in front skirt rail	1	AEV
05-EL-SKUY	>	 -- (2) Skirt rail LED Strip Lights, Kinequip KFL-SLRR8, Red/Red	1	AEV
05-EL-SKX2	<	-- Skirt rail Lights, Middle Pair (1) Each side, rear position, in front skirt rail	1	AEV
05-EL-SKUY	>	 -- (2) Skirt rail LED Strip Lights, Kinequip KFL-SLRR8, Red/Red	1	AEV
05-EL-SKX3	<	-- Skirt rail Lights, Rear Pair (1) Each side, in rear skirt rail	1	AEV
05-EL-SKUY	>	 -- (2) Skirt rail LED Strip Lights, Kinequip KFL-SLRR8, Red/Red	1	AEV
05-EL-SKZ1		-- Skirt rail Lights Switched: Separate Switch in the Cab console	1	AEV
05-EL-SLGX	<	-- LED Ground Lights : (6) Kinequip White 8" LED lights, In Skirt rails Lights to stay on 30 seconds after all doors are closed.	1	AEV
05-EL-SLGY	<	-- LED Ground Lights Switched: The underbody lights work off a switch in the console or with any entry or compartment door. Lights stay on for 30 seconds after all doors are closed.	1	AEV
04-DE-0010		-- Rear Deflector: NONE	1	AEV
04-EA-09A0	S <	(2) Rear Door Hold Opens: Grabber Style, each door AEV Part No: HOLD-16N (2) At the bottom of the doors	1	AEV
04-EA-14X0	>	Running Boards: Embossed D/P,Grip Strut F-Series - 2 Door X-Series STD	1	AEV
04-EA-1122	<	-- Mud Flaps Front: Modular, Rubber AEV Part# FLAP-M01	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-EA-1132	<	-- Mud Flaps Rear: Modular, Rubber (2) AEV Part# FLAP-M02	1	AEV
05-EL-39X4	< >	-- Lights, Cab Step: 2" White LED , surface mount on box front, (#TOCOACCR) - x ser Chrome Flange Activate by Cab Doors. Constant Hot. (2) LITE-TOC (2) Lite-TFLANGEC	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
		EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2	1	AEV
05-EL-1800		CORNER CAP LED ICC/WARNING LIGHTS	1	AEV
05-EL-18F0		-- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE	1	AEV
05-EL-18FX	<	-- Front Center ICC Lts: (3) AMBER Kinequip LED #KML-A-SC Switch w/ Headlights.	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
05-EL-18R5		-- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER	1	AEV
05-EL-18RX	<	-- Rear Center ICC Lts: (3) RED Kinequip LED #KML-R-SC Switch w/ Headlights	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
06-SW-CC01		-- ICC Warning Lights Switched: Primary Only	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
05-EL-2503	S <	LED Lights, Patient on Board, X-Series Units Install lights in the following locations :	1	AEV
		M-1A Compartment - On Door panel, Outer lower corner		
		M-1 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		M-2 Compartment - On Forward Door panel, Upper outer corner		
		M-2 Compartment - On Trailing Door exterior, Upper outer corner		
		M-3 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		M-3 Compartment-On Trailing Door exterior, Centered top to bottom		
		M-5 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		M-6 Compartment - On Door panel, Outer lower corner		
		M-7 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		C/S Entry Door - Below Center panel, Outer Edge		
		Rear Entry Doors - (1) each door, Below Center panel, Outer Edge		
		A Total of (12) Lights		
05-EL-252C		-- Red/White LED POB Light, Kinequip Each, X-Series Units	12	AEV
05-EL-256X		-- Lights Switched with Entry Door Switch	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
05-EL-42XX		TAIL LIGHTS	1	AEV
05-EL-23X2	>	-- Tail Lights, Whelen LED Combinations , STD, X-Series	1	AEV
05-EL-19M0	<	-- Side Marker Lights: (2) RED Kinequip LED No 112401RD Switch w/ Headlights.	1	AEV
05-EL-2424	S <	-- Stop/Tail, Whelen M9 Series, LED, Pair mounted on the kick plate	1	AEV
05-EL-2430	S <	-- Turn, Whelen M9 Series, LED, Pair mounted above the license plate on the street side and directly across on the curbside	1	AEV
05-EL-2436	S <	-- Back up, Whelen M9 Series, LED, Pair mount next to the brake lights on the kick plate	1	AEV
05-PH-LF16		-- M9 Series Flange, Chrome Plated, Std: Three Pair	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-EC-4326		<i>/-- Note: Standard Back-up Alarm Installed</i>	1	AEV
06-EC-4331		<i>/-- Access Panel: NONE Required</i>	1	AEV
06-EC-4330		<i>/-- Access Panel: Installed in M3 compartment for Micro 3 Back Up</i>	1	AEV
		System		
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV
05-EL-4305	<	Patient Area Turn/Stop Light Indicator: (3) Kinequip KML Lights LOCATION: (2) Amber & (1) Red lights, Inside, Over Rear Doors on Rear Header Pad	1	AEV
05-EL-43DL		Third (3rd) Brake Light: NONE	1	AEV
05-EL-4584	>	SCENE/FLOOD LIGHTS (LED-M9 Series)	1	AEV
05-EL-45L4		<i>/-- Left Scene Lights: (2) LED-M9, Whelen</i>	1	AEV
05-EL-0224		<i>/-- Flanges: Above M9 Scene lights, Incorporated into lights</i>	1	AEV
06-EL-18LF		<i>/-- Left Flood Activate: Left Flood Switch</i>	1	AEV
05-EL-45T4		<i>/-- Right Scene Lights: (2) LED-M9, Whelen</i>	1	AEV
05-EL-0224		<i>/-- Flanges: Above M9 Scene lights, Incorporated into lights</i>	1	AEV
06-EL-18RT		<i>/-- Right Flood Activate: Right Flood Switch and open CSE Door</i>	1	AEV
05-EL-46R4		<i>/-- Rear Load Lights: (2) LED-M9, Whelen</i>	1	AEV
05-EL-0224		<i>/-- Flanges: Above M9 Scene lights, Incorporated into lights</i>	1	AEV
06-EL-18RE		<i>/-- Activate: Rear Flood Switch, Reverse and Lead RA Door</i>	1	AEV
06-EL-1800		<i>/-- Add Activation: Rearward Left and Right scene lights. come on w/ Reverse</i>	1	AEV
05-HA-0654	< >	Secondary Heat/AC: Danhard 125VAC System, 50-3000 All underbody components must be mounted ahead of rear axle. With thermostat mounted in A/A Danhardt Located in Squad Bench	1	AEV
05-HA-13XF	< >	HVAC SYSTEM: ACC Hepa-Max, Ducted in Ceiling - Above Walk-Thru with Intermotive module #CVC502-A (AIRC-CLUTCH)	1	AEV
05-HA-1306		<i>/-- A/C Condenser: See M2 Cmpt for Condenser Information</i>	1	AEV
05-HA-14A0		<i>/-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel</i>	1	AEV
05-HA-14C0	>	<i>/-- AC COMPRESSOR: Tee into O.E.M.</i>	1	AEV
05-HA-14QX		<i>/-- AC Evaporator: ACC (AC/Heat unit) w/ dual fans, "X" STD</i>	1	AEV
05-HA-1404		<i>/-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)</i>	1	AEV
05-HA-14A0		<i>/-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel</i>	1	AEV
05-HA-14B1		<i>/-- Filter, Washable Carbon Pre-Filter</i>	1	AEV
10-HA-0304	<	<i>/-- Thermostat, Rear A/C, Digital, Class 1 LX-1, Includes Front Also</i> Thermostat located in A/A as part of LX1 Multiplexed System	1	AEV
05-IL-00X1		CEILING PANELS : White Aluminum Composite Dibond, (2) Piece X series only	1	AEV
05-IL-01XR	<	<i>/-- Dome Lts, LED "LIGHT RAIL" system</i> MTB NOTE: Requires X-Series Roof Structure design, ILOS	1	AEV
05-IL-05T4	S <	<i>/-- Check out Light Switch: Momentary For MX1 electrical systems.</i> AEV part SWIT-C05 At curbside entry head of squad bench To power rail light high intensity	1	AEV
05-IL-05T1	< >	<i>/-- Timer, Constant Hot, Check out, Class 1 Multiplex System</i> Activated with opening of either C/S or Rear Entry Doors.	1	AEV
06-EC-0914	<	<i>/-- 15 Minute Activation</i> Light Circuit to stay on for 15 minutes when entry door is opened.	1	AEV
06-EC-09P2		<i>/-- Timer to Power: All DOMES, Low intensity</i>	1	AEV
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV
09-MH-0801		<i>/-- IV Hook No 1: CPI Rubber IV 2008-1(Recessed Mount), ILOS</i>	1	AEV
09-MH-08P3		<i>/-- LOCATION: Over Knee/Waist area, primary patient on COT</i>	1	AEV
09-MH-0802		<i>/-- IV Hook No 2: CPI Rubber IV 2008-1(Recessed Mount), ILOS</i>	1	AEV
09-MH-08P4		<i>/-- LOCATION: Over Knee/Waist area, secondary patient on S/B</i>	1	AEV
09-MH-2AC6	<	<i>/-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72in, Yellow</i> Antimicrobial Grab Rail will be recessed in a ABS pan.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
09-MH-2AYX	<	 -- Recessed S/S Grab Rail, ceiling: 1.25 Dia..... C/S, 3 pt, 72in, Yellow Antimicro Grab Rail will be recessed in a ABS pan.	1	AEV
		Insulation PKG: X-Series units	1	AEV
05-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
05-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
05-IN-4STF	<	-- Insulation: Floor, 1/2" Block Foam Generation 7 Floor Design	1	AEV
05-IN-5STX	<	-- Insulation: Walls/Ceiling, 1" Black Foam, X-Series units #INSU-ARM1	1	AEV
05-IN-6STX	<	-- Stepwell Insulation: Urethane Froth Insulation, STD X-Series units MTB to spray urethane froth insulation, underside of step well area MTB option #7208738	1	AEV
05-IN-6SXS	<	-- Black Sound Proofing, Doors & Select Walls, X-Series units AEV# INSU-KSU	1	AEV
05-IN-6SXT	<	-- Insulation: Circumferential PKG, 1LEF Reflective, X-Series units #KSU-F1250	1	AEV
05-LB-6100	< >	 -- Light Bar Alternative, (4) Across Front, 92" or wider In Addition to Standard Front Three (3) Body Warning Lights. Seven (7) Total Lights Across Front of Body.	1	AEV
05-LB-6240		 -- Front of Module M Series LED System - 92" and wider	1	AEV
05-LB-6615		 -- Whelen M9, (2) Lights Color A, (2) Lights color B IATS	1	AEV
05-PM-LT03		 -- Light: Whelen M9, LED, WHITE LED/CLEAR Lens, Programmable	2	AEV
		iats		
05-PM-LT07		 -- Light: Whelen M9, LED, RED LED/RED Lens, Programmable IATS	2	AEV
05-PL-LY54		 -- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV20		 -- Lens Color: Red	2	AEV
25-PH-LT84		 -- LED Lights: Programmable, Single Light	2	AEV
05-LB-6900		 -- Alternative Lightbar Switching, Prim/Sec	1	AEV
05-PA-LB0B		-- Rear Light Bar: NONE	1	AEV
05-PA-LB3B	< >	 -- Traffic Advisor: Whelen TANF85, 500 Series LED lights This is the LED Traffic Advisor Unit. Must be ordered with 25' to 30" Extension Cable.	1	AEV
05-PA-LBM2	>	 -- LOCATION: Mount over rear door above load lights	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-SY-LTMF	>	M SERIES LED WARNING LT SYSTEM - F-series LTD	1	AEV
05-FS-0712		 -- Flasher: None, All M Series LED's Are Programmable	1	AEV
05-FS-10P4		 -- Flash Pattern: None, Internal Light Head Flasher	1	AEV
06-SW-PS01		 -- Warning Light SWITCH: center console, Primary / Secondary	1	AEV
ZE-00-0020	<	 -- Flash Pattern #: Desc _____ Specify pattern # and description for each type of light from the Whelen Web site..	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-LB-8005	<	 -- Opticom: 792H GTT Brand Opticom Unit installed Strobe Infra-red Opticom, Stand Alone unit.	1	AEV
05-LB-8121	>	 -- Opticom Location: Built into 600 Series Center Front Warning Light	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-PM-LC50	S <	/-- (4) Grille Lights: Whelen M7 Series, LED Grill lights to Flash in X pattern	1	AEV
05-PM-LN20		/-- Flanges, Chrome : Grille Lights M7	1	AEV
05-PM-LR3A	S	/-- LED M7 (2) RED & (2) GREEN	2	AEV
05-PM-LRA5		/-- Light, Whelen LED M7 Red LED/RED Lens - Programmable	2	AEV
05-PL-LY04		/-- LED Color for Above M7 LED : RED	2	AEV
05-PM-LV20		/-- Lens Color: Red	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
05-PM-LRB8		/-- Light, Whelen LED M7 Green LED/Green Lens - Programmable	2	AEV
05-PL-LY10		/-- LED Color for Above M7 LED : GREEN	2	AEV
05-PM-LV50		/-- Lens Color: Green	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
ZZ-ZZ-ZZZZ		/--	2	AEV
05-PM-LE09		/-- (2) Intersection Lights: Whelen M2 Series, LED	1	AEV
05-PM-LN09		/-- Flanges,(2) Chrome : Intersection M2	1	AEV
05-PM-LRCJ	>	/-- Light: Whelen M2, LED, WHITE/RED LED/CLEAR Lens pair	2	AEV
05-FS-1224	<	/-- Opt B Programable lights Split Color - Color 1 Flashes Opposite Color 2-synched Color 1 RED ?????? Flash pattern 15 Flashes opposite to Color 2 Blue ?????? Flash pattern 15 COLOR 1 is synched to flash the same time as same color in light at location ????????	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PH-LT23		/-- DELETE (1) Center Front Warning Light	1	AEV
05-PH-LT25		/-- Light(s) are moved into the front light bar.	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LG70		/-- (2) Outer Front Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		/-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PM-LS24		/-- LED M9 Red - Pair	1	AEV
05-PM-LRK5		/-- Light: Whelen M9, LED, RED LED/RED Lens, Programmable ILOS	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV20		/-- Lens Color: Red	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LH70		/-- (4) Upper Side Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF14		/-- M9 Series Flange, Chrome Plated, Std: Two Pair	1	AEV
05-PM-LS44		/-- LED M9 Red - Two Pair	1	AEV
05-PM-LRK5		/-- Light: Whelen M9, LED, RED LED/RED Lens, Programmable ILOS	4	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	4	AEV
05-PM-LV20		/-- Lens Color: Red	4	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	4	AEV
05-PM-LI50		/-- (2) Rear Intersection Lights: Whelen M7 Series, LED	1	AEV
05-PH-LF22		/-- M7 Series Flange, Chrome Plated, Std: Each	2	AEV
05-PM-LR32		/-- LED M7 Red/White Split - Pair	1	AEV
05-PM-LRC1		/-- Light, Whelen LED M7 Red/White LED/Clear Lens - Programmable	2	AEV
05-FS-1224	<	/-- Opt B Programable lights Split Color - Color 1 Flashes Opposite Color 2-synched Color 1 RED ?????? Flash pattern 15 Flashes opposite to Color 2 Blue ?????? Flash pattern 15 COLOR 1 is synched to flash the same time as same color in light at location ????????	2	AEV
05-PL-LY12		/-- LED Color for Above M7 LED : RED/WHITE	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
05-PM-LJ70		/-- (2) Outer Rear Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		/-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PM-LS24		/-- LED M9 Red - Pair	1	AEV
05-PM-LRK5		/-- Light: Whelen M9, LED, RED LED/RED Lens, Programmable ILOS	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV20		/-- Lens Color: Red	2	AEV

PART NO	S	DESCRIPTION	QTY	ID
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LK80	S <	/-- (4) Additional Rear Body Lights: Whelen M9 Series, LED to be mounted (2) on each side one above each other and to be seen through the windows	1	AEV
05-PH-LF14		/-- M9 Series Flange, Chrome Plated, Std: Two Pair	1	AEV
05-PM-LT07		/-- Light: Whelen M9, LED, RED LED/RED Lens, Programmable IATS	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV20		/-- Lens Color: Red	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
05-PM-LT06		/-- Light: Whelen M9, LED, RED LED/RED Lens, Non-Programmable IATS	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV20		/-- Lens Color: Red	2	AEV
06-EL-2500	S <	/-- Brake Light Override: Wire into rear warning lights above LIGHTS SHALL STEADY BURN FOR BRAKES	1	AEV
		NOTE: Bottom two warning lights only to be brake light over ride when not in primary mode		
06-EL-2502		/-- Override Function: During ALL modes	1	AEV
05-PM-LL30		/-- (1) Center Rear Body Light: Whelen M6 Series, LED ILOS	1	AEV
05-PH-LF20		/-- M6 Series Flange, Chrome Plated, Std: Each	1	AEV
05-PM-LQ06		/-- LED M6 Amber - Each	1	AEV
05-PM-LRG9		/-- Light: Whelen M6, LED, AMBER LED/AMBER Lens, Programmable	1	AEV
05-PL-LY40		/-- LED Color for Above M6 LED : AMBER	1	AEV
05-PM-LV40		/-- Lens Color: Amber	1	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
ZZ-ZZ-ZZZY		/--	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-ZZ-ZZZZ			1	AEV
ELECTRICAL - CELL 3				
06-00-0004		/-- Customer Supplied Part(s) : NONE	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-00-0001			1	AEV
06-AL-47SS	<	Hand Held Spot Light: Optronics, Blue Eye 400,000 CP Hook-07: Clip-onto spot light ring	1	AEV
05-EL-4803		/-- Hardwire to Drivers Seat Base	1	AEV
06-BA-3F41		Batteries: 2 - Battery System - Type I Only	1	AEV
06-BA-3F53		/-- Batteries: (2) Underhood (Type I)	1	AEV
06-BA-3FJ1	< >	/-- Battery Make: (2) OEM Battery Brand must match.	1	AEV
06-BA-Q631	<	/-- Battery Switch: Cole Hersee 2484-16 Paddle, T1 center console Cole Hersee Paddle style battery switch powers up and shuts down the CONVERSION only! Chassis related circuits shall remain wired in the O.E.M. configuration per Ford QVM Bulletin No 63. SWITCH LOCATION: Drivers' side of center cab console.	1	AEV
06-BA-3FW4		/-- Batteries Wired: Parallel for higher amperage	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-EC-056X	>	POWER Door Locks: Module Doors, X-Series Units	1	AEV
06-EC-0505	<	/-- Door Locks, Tied into OEM System Module power locks are tied to the Chassis power lock system	1	AEV
06-EC-0512	<	/-- OEM Key Fob: Included w/Chassis Unlock Mod Doors Must also operate the Module Power Door Locks Optioned.	1	AEV
06-EC-05B9		/-- Door Lock Switches : Integrated in Interior Entry door Handles -x	1	AEV
06-EC-05M0		/-- ONLY the following doors shall have power door locks:	1	AEV
06-EC-05X0		/-- Electric Door Lock: (M-1A) Upper Left Front Compartment,	1	AEV
06-EC-05X1		/-- Electric Door Lock: (M-1) Left Front Compartment	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-EC-05X2		-- Electric Door Lock: (M-2) Left Middle Compartment	1	AEV
06-EC-05X4		-- Electric Door Lock: (M-3) Left Rear Compartment	1	AEV
06-EC-05X6		-- Electric Door Lock: Rear Access Doors	1	AEV
06-EC-05X7		-- Electric Door Lock: (M-5) Right Rear Compartment	1	AEV
06-EC-05X9		-- Electric Door Lock: (M-6) Right Rear, Forward Compt	1	AEV
06-EC-05XA		-- Electric Door Lock: Curbside Access Door	1	AEV
06-EC-05XB		-- Electric Door Lock: (M-7) Right Front Compt	1	AEV
06-EC-081X	<	-- Remote Keypad #1: Installed, X-Series Units	1	AEV
		MTB to cut mounting holes per provided drawing.		
06-EC-0816		-- Location: By Curbside Door	1	AEV
06-EC-2800	< >	 -- Door Unlock Switch, Momentary, Exterior, hidden	1	AEV
		AEV Part No: SWITCH-32L		
		AEV Part No: BOOT-01		
		NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry into vehicle. By checking this option, purchaser further agrees to hold AEV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.		
06-EC-0802	>	 -- Location: Front Grille/Bumper Area	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-EC-4300		Back-up Alarm: Standard	1	AEV
06-EC-43C0		 -- Cut Off Switch: NONE	1	AEV
06-EC-CCX2	< >	Circuit Board, 12V: Multiplex LX1 F3/4/550 X-Series STD	1	AEV
		Includes the Following Items, please add to order:		
		All the following need to be added as usual:		
		Rear Digital Thermostat/Control for A/C, includes front also		
		Door Open 5, minute check out timer for 15		
		Oxygen Contents Gauge front and back.		
		(5) Minute Auto Battery Switch Shutdown (Kill Circuit)		
06-EC-1304		-- Voltage Monitor, LX-1, w/ Warning Light	1	AEV
06-EC-31F7	<	 -- Back Up Camera: Installed Ext over Rr Doors - VCMS140IB ASA (Black Camera)	1	AEV
		Camera is a Fixed position system.		
06-EC-CB07	>	-- Circuit Protection, 12V: FET - Auto-reset	1	AEV
06-EC-SPA7		-- LX1 Main Switch Panel Location :	1	AEV
06-EC-SPZ0		-- Patient Area LX1 Panel:	1	AEV
06-EC-SPZ1		-- Pt Area LX1 Switch Panel: One Standard In Patient Compartment	1	AEV
06-EC-SPA1		-- Switch Panel Located: Streetside A/A	1	AEV
06-FS-1106	>	-- Sequencer, LX1, with load manager,	1	AEV
06-RR-240X		-- Type I - CAB Console: Pass Thru - 14" OAW	1	AEV
07-RR-020F		 -- Add-on Console: F-series console	1	AEV
07-RR-02A0		 -- Drink Holder: (2) In Cab Console, Big Gulp Size	2	AEV
07-RR-02A5		 -- Drink Holder Location: Front	2	AEV
07-RR-02E0		 -- Note Book Slot: Single - Full width by 4" wide	1	AEV
07-RR-02F2		 -- (1) Removable Lexan Divider(s)	1	AEV
07-RR-24A0		 -- Console Finish: Black, Textured "Easy Grip"	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RR-2301		 -- Customer Radio: Space for Customer installed Radio Heads	1	AEV
07-RR-24A0		-- Console Finish: Black, Textured "Easy Grip"	1	AEV
07-ZZ-ZZZZ		--	1	AEV
06-EC-GR01	<	Ground Straps, Module to Frame: (Qty 4) Braided	1	AEV
		Grind/Clean each ground site on the O.E.M. frame to bare steel.		
		Use 3/8" - UNC x 1 1/2", Grade 8 hex head bolts, Nuts, and external tooth lock washers. Tighten to minimum 20 Ft/Lb.		
06-IA-0001		Converter , 125V to 12V: NONE	1	AEV
06-IG-0001	<	INVERTER : NONE	1	AEV
		NO Pre-wire.		

PART NO	S	DESCRIPTION	QTY	ID
06-EC-15A0	S	<i>/-- Battery Charger, Progressive Dynamics Service PD2160V</i>	1	AEV
06-EC-01L0	S	<i>/-- Location: M-1A Compartment</i>	1	AEV
06-EC-03AH		-- Portable Equip Charging Circuits: 10A, Pos and Neg	1	AEV
06-EC-03AA		-- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A	1	AEV
06-EC-03C8	<	-- Portable Equip Pwr Source: Ignition and/or Converter Reference 3.7.7.2 and Figure 7 in KKK-A-1822E	1	AEV
06-EC-1998		-- Converter : 15A IOTA, 125VAC to 15A @ 12 VDC	1	AEV
06-EC-1414	S	<i>/-- Location: M-1A Compartment</i>	1	AEV
06-EC-21A2		-- Converter to power: Equipment Pre-wire Only	1	AEV
06-MC-0901		Low Voltage Buzzer: Installed, Multiplex units	1	AEV
COMMUNICATION RADIO(S) RELATED				
06-00-0001		--	1	AEV
RADIO POWER				
06-EC-03A0		-- Radio Power No 1: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	AEV
06-EC-03J0		<i>/-- LOCATION: Inside Cab Center Console</i>	1	AEV
06-EC-03A2		-- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	AEV
06-EC-03J0		<i>/-- LOCATION: Inside Cab Center Console</i>	1	AEV
06-EC-03A3		<i>/-- Radio Power No 3: 30A, Pos and Neg, 10 awg Wires</i>	1	AEV
06-EC-03C0		<i>/-- Radio Power Source: Battery (Constant) Hot</i>	1	AEV
06-EC-03E0		<i>/-- LOCATION: Behind Action Area Board</i>	1	AEV
06-EC-03A4		<i>/-- Radio Power No 4: 30A, Pos and Neg, 10 awg Wires</i>	1	AEV
06-EC-03B0		<i>/-- Radio Power Source: Battery Switch Hot</i>	1	AEV
06-EC-03E0		<i>/-- LOCATION: Behind Action Area Board</i>	1	AEV
ANTENNA LEADS				
06-RR-0100		-- Coaxial Cable, No 1: Type RG-58U, No connectors	1	AEV
06-RR-0101	<	-- ORIGINATION POINT: Roof Port No 1 Roof Port No 1 is lined up with the edge of the curbside entry door, and centered side to side as possible	1	AEV
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	AEV
06-RR-01T7		<i>/-- TERMINATION POINT: Center Console w/ 36" Tail</i>	1	AEV
06-RR-0101		-- Coaxial Cable, No 2: Type RG-58U, No connectors	1	AEV
06-RR-0102	<	-- ORIGINATION POINT: Roof Port No 2 Roof Port No 2 is located approximately 24 inches back rearward of roof port #1.	1	AEV
06-RR-01P0		<i>/-- Port Plate: None - Access thru center upholstery panel</i>	1	AEV
06-RR-01T7		<i>/-- TERMINATION POINT: Center Console w/ 36" Tail</i>	1	AEV
06-RR-0102		-- Coaxial Cable, No 3: Type RG-58U, No connectors	1	AEV
06-RR-0103	<	-- ORIGINATION POINT: Roof Port No 3 Roof Port No 3 is located approximately 24 inches back rearward of roof port #2.	1	AEV
06-RR-01P0		<i>/-- Port Plate: None - Access thru center upholstery panel</i>	1	AEV
06-RR-01T2		<i>/-- TERMINATION POINT: Behind Action Area Box w/ 36" Tail.</i>	1	AEV
06-RR-1809		-- Patient Area Radio : None	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-SO-0000		125V SHORE LINE AND OUTLETS	1	AEV
06-00-0001		--	1	AEV
06-SO-0500		<i>/-- Shore Line Inlet: 20A Super Auto Eject, ILOS</i>	1	AEV
06-SO-00L1		<i>/-- Inlet location: Aft of Left Front compartment</i>	1	AEV
06-SO-0801	<	<i>/-- Indicator Light, Shore line: Weather proof, power by SL, Green</i> Indicator light located above shore line inlet.	1	AEV
06-SO-1010		<i>/-- Cover, White, Shore Line Inlet : 20A Super Auto Eject, ILOS</i>	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-SO-10TT	<	<i>/-- Inpower Timer: VCM-05-01SF, Installed</i> AEV part TIME-VCM05 VCM-05-01SF NOTE: This allows the auto eject to be wired to the ignition switch ILO splicing into the OEM starter circuit and is required any this vehicle	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-SO-0501	S <	/-- Shore Line Inlet: 20A Super Auto Eject, IATS For Danhard System	1	AEV
06-SO-00L1		/-- Inlet location: Aft of Left Front compartment	1	AEV
06-SO-1020		/-- Cover, Blue, Shore Line Inlet : 20A Super Auto Eject, ILOS	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SO-1400		/-- **125 Volt OUTLETS**	1	AEV
06-SO-1401	<	/-- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY All 125 VAC outlets shall be back lighted when power is applied to the outlet.	1	AEV
06-SO-14L1	>	/-- LOCATION: Action Area, standard location	1	AEV
06-SO-14O2		/-- Outlet mounting ORIENTATION: Vertical	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SO-14O2		/-- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY	1	AEV
06-SO-14L3		/-- LOCATION: RF ALS, (See Drawing)	1	AEV
06-SO-14O2		/-- Outlet mounting ORIENTATION: Vertical	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SO-14O3	>	/-- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY	1	AEV
06-SO-14L4		/-- LOCATION: Telemetry Area, (See Drawing)	1	AEV
06-SO-14O2		/-- Outlet mounting ORIENTATION: Vertical	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SO-1100		**INTERIOR 12 Volt OUTLETS**	1	AEV
06-SO-1101		/-- 12V Outlet, No 1: Power Point Double Outlet- Wire thru Med Isolator	1	AEV
06-SO-11L1	>	/-- LOCATION: Action Area, standard location	1	AEV
06-SO-14O2		/-- Outlet mounting ORIENTATION: Vertical	1	AEV
06-SO-1910		/-- Power Source: Medical Isolator , Batt Sw Hot	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SO-11O3		/-- 12V Outlet, No 3: Power Point - Wire thru Med Isolator	1	AEV
06-SO-11L3		/-- LOCATION: RF ALS, (See Drawing)	1	AEV
06-SO-14O2	S <	/-- Outlet mounting ORIENTATION: Vertical In I-2 drawer for IV Warmer	1	AEV
06-SO-1913		/-- Power Source: The SAME as outlet No 1	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SS-020A		Siren: Federal, EQ2B, F-Series, ILOS	1	AEV
06-SS-SW01	<	/-- Siren / Horn Switch: In Cab Console This switch shall select horn ring output: Siren Functions OR O.E.M. Horn	1	AEV
06-SS-SA03		Speaker, Bumper, Whelen #SAK40/SAK41,F-Series	1	AEV
06-SS-1313		Air Horn System: BUELL - F1	1	AEV
06-SS-1304		/-- Air Horns ACTIVATION: Switch in Console	1	AEV
06-SS-1305	>	/-- Air Tank Mounted to Frame Rail	1	AEV
06-SS-1310		/-- Emergency Master Hot	1	AEV
06-SS-1340		/-- Compressor: Buel #6540, 20% Oil less Intermittent Duty	1	AEV
06-SS-1345		/-- Compressor Location: M6 Compartment	1	AEV
06-SS-13F9		/-- Air Horn Location: Under Cab by Frame	1	AEV
06-SS-1321	<	/-- Left Air Horn: 10" Buel Strombos Horn, Chrome, No 1061 (493 Hz) AEV Part No: HORN-05	1	AEV
06-SS-1332	<	/-- Right Air Horn: 12" Strombos Horn, Chrome, No 1062 (396 Hz) AEV; HORN-04	1	AEV
		CABINET SHOP - Modular	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
07-00-0001	<	ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
		***Aluminum Composite Cabinet Configuration	1	AEV
07-00-0006		/-- Rubber Cactus Mat : On Cabinet Floors, Drawers & Shelves, X-Series units	1	AEV
07-00-0030	<	/-- Aluminum Cabinet Backer-Sound Barrier Install AEV # INSU-KSU on back side of aluminum cabinets	1	AEV
07-00-MC01		Mica Color: Matt Gray	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-00-PC02		Polycarbonate Type/Color: Lexan - GRAY	1	AEV
07-00-PH01		-- Polycarbonate Handles: Full Length Extruded	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
11-SX-0280	>	 -- Attendant Seat: EVS, Child Safety Seat, 3-Pt, Light Gray, Seamless	1	AEV
07-SE-0901	< >	 -- BASE: Swivel base for EVS Child Seat Option	1	AEV
		(2) Position Swivel, Forward or Rearward, Only		
11-SE-04A0		 -- Attendant Seat, Armrest: None	1	AEV
07-AC-4500	<	AC CABINET: Evaporator, Location : Bulkhead X Series STD composite Composite Construction	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-CA-0300	>	CURBSIDE UPPER: Over S/B, Mods	1	AEV
07-CU-K107		 -- Cabinet K1 & K2: (2) Openings with flush center divider	1	AEV
07-DR-LX27		-- (K) Doors: Dual Flip Up 3/8" Lexan	1	AEV
07-DR-LZ22		-- Hinges: Reel Torque	1	AEV
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-CA-04B0		CURBSIDE REAR STORAGE CABINET: NONE	1	AEV
07-CA-04A8	S >	 -- Cabinet, (3) Glove Storage, over Rear Entry Doors	1	AEV
07-DR-LX04		-- Door: Overlay He, 3/8" Lexan - 3-glove dispense thru	1	AEV
07-HW-BG03		-- Catches: Brass Grabbers w/ Adj tension	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-LF-4500		LF Cabinet, Behind Att Seat: Cabinet "H" X Series Aluminum/ Composite	1	AEV
07-DR-WDX1		-- Door, Single Solid , Flush Fitted	1	AEV
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	AEV
07-DR-OR04		 -- Hinge Orientation: RIGHT	1	AEV
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV
07-HW-SX11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
07-RF-4500	<	RF ALS Cabinet: Aluminum Composite Construction X-Series Design with 45°	1	AEV
07-CA-04AX		-- Cabinet, (3) Glove Storage, 45° Section of RF ALS cabinet, X-Series	1	AEV
07-DR-LX04		-- Door: Overlay He, 3/8" Lexan - 3-glove dispense thru	1	AEV
07-HW-BG03		-- Catches: Brass Grabbers w/ Adj tension	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RF-0003		-- Interior Color: White Anti-Microbial Powder Coated	1	AEV
07-RF-I1X1	S	 -- Cabinet I-1: Delete combine with I-2	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RF-I2X1		 -- Cabinet I-2: Shortened for Drawer Option	1	AEV
07-CA-3300	XS <	 -- Door, Roll up, Robinson Roll-o-matic, per opening	1	AEV
		Brushed aluminum finish		
		Lower Key lock		
		Lower bar latch installed		
		Roll up door to cover I2 only		
07-RA-IOA1		-- Outside Access: Thru M-7 (RF) Compartment door.	1	AEV
07-RF-0001		-- Interior MICA Color: White cabinet liner	1	AEV
07-TS-12X2		-- Shelf Track: Small Alum. Unistrut, X-Series, RF ALS cabinet	1	AEV
07-CA-06VD	S <	 -- (2) Shelves: Adjustable, Aluminum, White Anti-Microbial coated, STD	1	AEV
		1 in I-2		
		1 in I-3		
07-TZ-I26A	S >	 -- Drawer I-2a & I-2B 6" high	2	AEV
07-DR-WD14		-- Drawer Front: Flush Fitted	2	AEV
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	2	AEV
07-HW-SO02		-- Lever Latch: Locking - Black Finish	2	AEV
07-HW-SL01		-- Drawer Slides: Full Extension, Detachable	2	AEV
07-RF-0001		-- Interior MICA Color: White cabinet liner	2	AEV
07-XA-3900	S <	 -- Dividers, (2) Adj 3/16" Lexan, w/ ABS slotted track - EA cab	1	AEV
		4 total dividers to run front to back on I2A drawer		

PART NO	S	DESCRIPTION	QTY	ID
07-XA-39A0	S	<i>/-- 2 Lexan Dividers, Additional, requires option 07-XA-3900</i>	2	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
07-RF-I3X0	S	<i>/-- Cabinet I-3: X Standard, Aluminum Composite</i>	1	AEV
07-DR-LXX7		<i>/-- (C) Doors Dual, Overlay Hinged, 3/8" Lexan - Large Cabinet</i>	1	AEV
07-HW-SO11		<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	2	AEV
07-RA-IOA1		-- Outside Access: Thru M-7 (RF) Compartment door.	1	AEV
07-RF-0001		-- Interior MICA Color: White cabinet liner	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RR-0048		Right Rear Cabinet: Cover over M-5compartment	1	AEV
07-RR-0364	< >	<i>/-- Inside access into M-5: Face Aisle</i> The inside access opening shall positioned on the forward half of M-5 compartment. The opening size is maximized and dependent upon placement of fixtures in the M-5 compartment. IF SPECIAL SIZE opening is required, please define; _____ " W x _____ " Tall	1	AEV
07-DR-WD00		<i>/-- Door, Single Solid, Flush Fitted</i>	1	AEV
07-CA-2100		<i>/-- TRIM: U-shaped Door, J-trim opening</i>	1	AEV
07-DR-OR04		<i>/-- Hinge Orientation: RIGHT</i>	1	AEV
07-HW-HIN1		<i>/-- Hinge: 1 1/2" Stainless Steel Piano Hinge</i>	1	AEV
07-HW-SO01		<i>/-- Lever Latch: Non-locking - Black Finish</i>	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-SA-0000			1	AEV
07-SB-4500		SQUAD BENCH: Aluminum Composite Construction X Series	1	AEV
07-SB-0001		-- See Upholstery Section for Post and Wheel Cup info	1	AEV
07-SB-1102	<	<i>/-- Bio-waste/Sharps No 1: Roll-out DRAWER (164)</i> This Option is in lieu of Standard Bio-waste, normally located in the Action Area. This is the primary Bio-waste receptacle.	1	AEV
07-AT-WD02		<i>/-- Drawer, Single Solid Flush</i>	1	AEV
07-CA-2100		<i>/-- TRIM: U-shaped Door, J-trim opening</i>	1	AEV
07-HW-SO01		<i>/-- Lever Latch: Non-locking - Black Finish</i>	1	AEV
07-SB-0998		<i>/-- LOCATION: At head of Squad Bench, Roll out toward aisle</i>	1	AEV
07-SB-1005		<i>/-- WASTE CONTAINER: AEV 6 Quart</i>	1	AEV
07-SB-1008		<i>/-- SHARPS CONTAINER: 2-Gallon Sharps-A-Gator</i>	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
07-SB-1001		-- Storage Under Lid - Configure to M-6 Compartment Size	1	AEV
07-SB-LIDX		-- Squad Bench Lids: Split - 2-section	1	AEV
07-SB-LH00		-- Hinge, Squad Bench Lid(s): Butt Style Hinges	1	AEV
07-SB-LH02		-- Latch, Squad Bench Lid(s): Slam Action Paddle, Non-loc	2	AEV
07-SB-LH03		-- Lid Checks: Gas shock, Dual Action	2	AEV
07-TR-SB01		-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-MH-1404	>	<i>/-- Restraint Net, at head of S/B, NONE</i>	1	AEV
08-ZZ-ZZZZ		--	1	AEV
08-MH-1300	S < >	<i>Forward Squad Bench Wall, Partial, with hinges</i> padded armrest that hinges down or stays upright with an assist entry handle on the step side Mounted with a dead bolt and soft latch Per Photos On File	1	AEV
07-TC-0000			1	AEV
07-TC-4500		TOP CABINETS, - w/ 72" HR, Aluminum Composite Construction X STD	1	AEV
07-TC-A450		-- Cabinet A: 72" HR Aluminum Composite X std	1	AEV
07-DR-LXX1	<	<i>/-- Doors, Sliding Lexan : Restocking, STD X-Series</i> Hinged Top, Gas Shock installed to hold door open at 90 degrees. (2) slam action latches with decal "Latch Here" Labels.	1	AEV
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	AEV
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-TC-B450		-- Cabinet B: Ergonomically angled toward the CPR seat (72"HR) X Std	1	AEV
07-DR-LXX1	<	<i>/-- Doors, Sliding Lexan : Restocking, STD X-Series</i> Hinged Top, Gas Shock installed to hold door open at 90 degrees.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		(2) slam action latches with decal "Latch Here" Labels.		
07-TS-12X1		-- Shelf Track: Small Alum. Unistrut, X-Series, ILOS	1	AEV
07-CA-06VC		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated, IATS	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-0000			1	AEV
07-WC-4500		> WALL CABINET: CPR Seat w/Telemetry, Aluminum Composite Construction X	1	AEV
07-WC-AAX1		-- Action Area: Standard	1	AEV
07-CA-480V	< >	 -- 1/2" Solid Surface A/A Tray No Bio Waste, X-Series ILOS No sharps or trash cutouts requested.	1	AEV
07-CA-480Y	< >	 -- Solid Surface : Specify Color of Tray ???????????????????????????????? The tray shall have a lip The tray lip shall come up to the front and overlay the face.	1	AEV
07-CA-4U08		 -- Solid Surface extension in front of O1 X series std	1	AEV
07-DW-0001	S	 -- 2 Drawers: Aluminum Composite Construction	2	AEV
07-DR-WD14	S	 -- Drawer Front: Flush Fitted	2	AEV
07-CA-2100		 -- TRIM: U-shaped Door, J-trim opening	2	AEV
07-HW-SO12		 -- Round Pull Latch: Locking - Chrome Finish	2	AEV
07-HW-SL01		 -- Drawer Slides: Full Extension, Detachable	2	AEV
07-WC-AABD		-- Action Area Board: See Station No 6 for content	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-CN01	S <	 -- Computer Drawer: Under Action Area Approximate interior dimensions 15" w x 3" h x 15" d Open storage under drawer (see photo)	1	AEV
07-WC-C64X	S <	 -- Cabinet C: Aluminum Composite Construction Half Depth Cabinet	1	AEV
07-DR-LXX0	<	 -- Doors, Sliding Lexan, Restocking, STD X-Series Hinged Side, Cable Stop installed to hold door open at 90 degrees. (2) slam action latches with decal "Latch Here" Labels.	1	AEV
07-TS-12X0		 -- Shelf Track: Small Alum. Unistrut, X-Series	1	AEV
07-CA-06VB		 -- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-D64X		-- Cabinet D: Ergonomically Angled Over Telemetry, Alum Composite Construction	1	AEV
07-DR-LXX0	<	-- Doors, Sliding Lexan, Restocking, STD X-Series Hinged Side, Cable Stop installed to hold door open at 90 degrees. (2) slam action latches with decal "Latch Here" Labels.	1	AEV
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	AEV
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-E64X	S	 -- Cabinet G: Under A/A , Aluminum Composite Construction	1	AEV
07-DR-LXW0	S	 -- () Doors, Sliding Lexan, Mitered AL Assy, STD X-Series	1	AEV
07-RF-0008		 -- No Inside Access To Exterior Compartment	1	AEV
07-ZZ-ZZZZ		 --	1	AEV
07-WC-F64Y	>	 -- Drawer F: Aluminum Composite Construction	1	AEV
07-HW-SX11		 -- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
07-WC-F702		 -- Cabinet F-2: Bio-Waste Cabinet (170A)	1	AEV
07-DR-WD22		 -- Door, Solid: Single, Flush Fitted, Bio-Waste	1	AEV
07-CA-2100		 -- TRIM: U-shaped Door, J-trim opening	1	AEV
07-DR-OR02		 -- Hinge Orientation: BOTTOM	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV
07-HW-SO01		-- Lever Latch: Non-locking - Black Finish	1	AEV
07-SB-1022		-- Bio-waste/Sharps No 1: (1) Tilt-out Door (Wall cabinet)	1	AEV
07-SB-1023		-- LOCATION: Wall Cabinet, Rearward of CPR seat	1	AEV
07-SB-1024		-- SHARPS CONTAINER: WI #185, 1.7 quart	1	AEV
07-SB-1025		-- WASTE CONTAINER: Rubbermaid, Model No 2952, 8 quart,	1	AEV
CANO-03				
07-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-SS02		-- Side Seat: 24" - Single Position - Under Lid Storage w/Latch	1	AEV
07-WC-BA00		-- Hinge, CPR Seat Lid(s): Butt Style Hinges	1	AEV
07-WC-BR01		-- Back Rest: Fixed to Back Wall of CPR Seat w/clips	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
07-WC-TAX1		-- Telemetry Area: with armrest pad	1	AEV
07-CA-49X0		-- 1/2" Solid Surface Telemetry Area Tray: X-Series STD	1	AEV
07-CA-480Y	< >	-- Solid Surface : Specify Color of Tray ??????????????????????	1	AEV
		The tray shall have a lip		
		The tray lip shall come up to the front and overlay the face.		
ZZ-ZZ-ZZZZ		--	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-SE-SB10		-- P6 - 6-Point Restraint System - with CPR Seat	1	AEV
08-SE-SB26	< >	-- (0) on Squad Bench, (0) CPR Side Seat	1	AEV
		No P-6 Restraints Optioned on this unit.		
		requires signed waiver from customer		
08-SE-SB62	>	-- Squad Bench: (2) seating positions, 2-point, LAP, ALR	1	AEV
08-SE-SB71		-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench	1	AEV
08-SE-SB77		-- S/B: (3) Sec patient restraints - Retractors By Hinge	1	AEV
08-SE-SB80	>	-- CPR Side Seat: (1) seating positions, 2-point, LAP, ALR	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
CABINET SET - CELL 4 - MOD				
08-00-00CX		Sub Floor, 3/4" Composite, STD	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-00-FL3A		Flooring: Loncoin II Flecks- #150, Onyx (Black)	1	AEV
08-00-FL01		-- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up	1	AEV
08-AS-0005		-- Rear Threshold, Covered with Yellow Speedliner 6" W x Full W at rear doors	1	AEV
08-AS-0007		-- C/S Stepwell Threshold, Yellow Speedliner Covered Smooth Aluminum	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-ZZ-ZZZZ		--	1	AEV
08-CS-0001		COT MOUNT HARDWARE: (Full Size Mod)	1	AEV
08-CR-0900	<	-- Cot Mount : Stryker, No 6377, Dual Position, Floor Mount Not Compatible with cots other than Stryker!	1	AEV
08-CS-00CM	<	-- Cot Position No 1: PRIMARY CENTER POSITION Maintain 12" between Cot and S/B.	1	AEV
08-CS-2000	< >	-- Primary Cot position under floor reinforcement Install 8 inch wide by 5 foot long 1/2" aluminum reinforcement at primary cot position. Location is shown on floor print at Primary cot position ONLY. Only one main plate per unit.	1	AEV
08-CS-3003		-- Cot mount set up for: Stryker MX-pro	1	AEV
08-CS-19ST		-- Cot Stop, Block: NONE	1	AEV
08-CS-00CP		-- Cot Location No 2: SECONDARY SIDE POSITION, Left of center	1	AEV
08-CS-3003		-- Cot mount set up for: Stryker MX-pro	1	AEV
08-CS-1900	<	-- Cot Stop, Block: Stryker (6060-036-018) Long Hook Install a Stryker Long Hook 6060-036-018 compatible with all Stryker Cot types only. AEV Part No: STOP-MXLONG	1	AEV

PART NO	S	DESCRIPTION	QTY	ID	
08-CS-19U1		-- Q Straint System: NONE	1	AEV	
08-OS-04SX		OXYGEN / AIR / VACUUM System: X-Series	1	AEV	
08-OS-0401	<	-- Oxygen Outlet No 1: Amico Console - Ohio Diamond Style AEV Part No: OUTL-AOB	1	AEV	
08-OS-040A		-- LOCATION: Action Area	1	AEV	
08-ZZ-ZZZZ		--	1	AEV	
08-OS-0402		-- Oxygen Outlet No 2: Amico Console - Ohio Diamond Style	1	AEV	
08-OS-040A		-- LOCATION: Action Area	1	AEV	
08-ZZ-ZZZZ		--	1	AEV	
08-OS-0403		-- Oxygen Outlet No 3: Amico Console - Ohio Diamond Style	1	AEV	
08-OS-040D	>	-- LOCATION: Curbside Wall, over the head of the S/B	1	AEV	
08-ZZ-ZZZZ		--	1	AEV	
08-OS-0404		-- Oxygen Outlet No 4: Amico Console - Ohio Diamond Style	1	AEV	
08-OS-040C		-- LOCATION: Center Pad of Liner Panel, Over Head/Chest	1	AEV	
08-ZZ-ZZZZ		--	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
08-OS-0905	<	-- Port Cyl Rack No 2: Zico QR-D-2 - D or Jumbo D - No Strap Req Through bolt the rack to metal.	1	AEV	
ZZ-ZZ-ZZ01	S <	-- Location: in CSE door step well	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
08-OS-090X	< >	-- Port Cyl Rack No 1: Zico QR-D-2 - D or Jumbo D - No Strap Req Through bolt the rack to metal.	1	AEV	
08-OS-09L1	S < >	-- Rack Location : Aisle side of RF ALS cabinet in CSE door step well	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
08-OS-13ST	< >	-- Rack No 1: M/H cylinder, AEV, Aluminum w/ (2) Pull Straps Stra-02036 Pull Straps Fits cylinders 7" diameter or more.	1	AEV	
08-OS-0010		-- Neck Strap: Connected to top strap of bottle rack	1	AEV	
08-OS-11G1	<	-- Cylinder Type: OXYGEN - Green Colored Hose Regulator connection Nut: 9/16" RH thread.	1	AEV	
08-OS-1301		-- Rack Location: Left Front, wall #2 near wall #3	1	AEV	
08-OS-1902		-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
08-OS-35ST		-- Vacuum System: SSCOR regulator/gauge panel in A/A	1	AEV	
08-OS-3501	S <	-- Collection Canister: Bemis, 1200 CC Capacity LOCATION: Recessed under A/A with lexan door	1	AEV	
08-OS-3502		-- VAC Plumbing: Direct from panel to canister - NO Outlet	1	AEV	
08-OS-3503	<	-- Vacuum Pump: 49 State AEV Part No: PUMP-02LK AEV Part No: PLAT-05 AEV Part No: Mounts = BUMP-01L (3)	1	AEV	
08-OS-35L8	>	-- Location: M-1a Compartment	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
08-OS-35VN		-- PORTABLE SUCTION UNIT : NONE	1	AEV	
ZZ-ZZ-ZZZZ		--	1	AEV	
08-ZZ-ZZZZ		--	1	AEV	
TRIM / DOOR ASSEMBLY - CELL 5				1	AEV
09-00-001A		-- Soft Touch Trim Kit: None	1	AEV	
09-00-0001			1	AEV	
09-00-000Z		*****Door Department X Series > New	1	AEV	
02-BT-C85V		-- Handles, Ext: Tri-mark 1875, Free Float, Polished CNNC finish X-Series	1	AEV	
02-BT-C85Y	<	-- Interior Release: All Entry Doors, Emergency Access, STD X-Series Units All three Entry Doors, top and bottom latches.	1	AEV	

PART NO	S	DESCRIPTION	QTY	ID
02-BT-C85Y	<	-- Interior Release: All Entry Doors, Emergency Access, STD X-Series Units All three Entry Doors, top and bottom latches.	1	AEV
09-B1-ED0X		-- Entry Door Panels, Windows and Hardware, X-Series Units	1	AEV
08-MH-0020		-- Interior Grab Handle Color: Yellow Antimicrobial	1	AEV
08-MH-03B6		-- Grab Handle, CS Entry: 1 1/4" Dia..... S/S, 2-pt 18"L, Yellow Antimicrobial	1	AEV
08-MH-03D6		-- Grab Handles, Rear Access: (2) 12"L X 1 1/4" Dia..... S/S, 2-pt, Yellow Antimicr	1	AEV
09-MH-2520	S <	-- Grab Rail, (1), 18" IATS, Yellow Antimicrobial Located : M3 Filler	1	AEV
09-AS-2402	S	-- Door Panels: Mica / Stainless Steel / Smooth Aluminum	1	AEV
09-AS-2535		-- Curbside Lower Door Panel: Smooth Aluminum	1	AEV
09-WI-02BX	>	-- "AUTO SHADE" Windows: Upper R/A Doors, Fixed Glass, X-Series STD	1	AEV
09-WI-06BX		-- "AUTO SHADE" Window: Upper C/S Access, Fixed Glass, X-Series STD	1	AEV
09-WI-09BX	<	-- Inverter, "Auto Shade" Windows : Part of X series windows AEV part MDUL-WINDOW	1	AEV
09-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
09-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
09-MH-2531	<	-- Grab Rail, (1), 18" Yellow Antimicrobial Rear Entry Assist std. Located : Module interior at the rear entry, mounted to the M5 compartment filler. Rail is to be through bolted into M5.	1	AEV
09-DR-WT00		Talk Through Window: Sliding Lexan Window - CLEAR	1	AEV
09-DR-WT20		-- Sliding Window Locking Pin: 1/4" with Lanyard	1	AEV
09-FM-10X3		Dri-Dek Compt Floors and shelves, Black, STD X-Series	1	AEV
09-FM-11X7	>	-- Dri-Dek EDGES: Yellow, Beveled frontal edges	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
09-ZZ-ZZZZ			1	AEV
		ELECTRICAL Point to Point - CELL 6	1	AEV
06-EC-1400	>	-- IV Warmer No 1: Smithworks, 12VDC, FloorMount (Tray style)	1	AEV
06-EC-1410	S	-- Location: I-2A drawer	1	AEV
10-EB-13X2	>	Cabinet Light(s) : "DAY BRIGHT" LED Lights, X-Series Units	1	AEV
05-IL-13S1		-- Cab Interior Lights Switching: Thru MultiPlex System	1	AEV
10-EB-13Y0		-- Daybright location 1	1	AEV
10-EB-13YB		-- Daybright Light Location Cabinet B	1	AEV
10-EB-13Y1		-- Daybright location 2	1	AEV
10-EB-13YD		-- Daybright Light Location Cabinet D	1	AEV
10-EB-13Y2		-- Daybright location 3	1	AEV
10-EB-13Y0	S	-- Daybright Light Location Cabinet G	1	AEV
10-EB-13Y3		-- Daybright location 4	1	AEV
10-EB-13YA		-- Daybright Light Location Cabinet A	1	AEV
10-EB-13Y4		-- Daybright location 5	1	AEV
10-EB-13YK		-- Daybright Light Location Cabinet K	1	AEV
10-IL-02ST	<	Action Area Light: 12V, LED, Surface Mount aev Lite-I29	1	AEV
10-IL-02L7		-- Light Location: Action Area	1	AEV
10-IL-03ST		Telemetry Area Light: 12V, LED, Surface Mount	1	AEV
10-IL-02L9	S	-- Light Location: Bottom of Cabinet D	1	AEV
		UPHOLSTERY - CELL 7	1	AEV
11-00-UC04		Upholstery Color: Light Gray (Dove)	1	AEV
11-00-UC11		-- Center Trough Upholstery Color: Color Key to Rest of Truck	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
11-00-UT0X		Uph Joint Type: "PREMIUM " Upgrade	1	AEV
11-SB-0005	S <	Squad Bench seat cushion cut-outs: None Note: Full length squad bench pad	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
11-SB-0003		-- Post And Wheel Cups: NONE	1	AEV
11-SE-CSPD		Head Protection: Pad over CS Entry Door	1	AEV
11-SE-REPD		Head Protection: 2" Pad over Rear Access Doors, Full Width	1	AEV
11-MC-1700		 -- Clock: Intellitec Digital / Sweep Emergency Time Manager	1	AEV
11-MC-1900	S <	 -- Location: Face of M-5	1	AEV
		Clock to be on side facing the squad bench		
PAINT - STRIPES - DECALS			1	AEV
12-PT-UNCT		-- Undercoating : Per QVM Guidelines, STD	1	AEV
12-DC-0001		Reflective Tape: On painted edges of Exterior Door Frame	1	AEV
12-DC-GA20	< >	Compartment Finish: Other than Diamond Plate	1	AEV
		Paint Shop to Refer to Body Section of Shop Order for Details.		
12-PT-0100		Primary (Over All) Color: White (YZ)	1	AEV
12-DC-0002	<	-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R	1	AEV
		Install on rearward facing edge of flip up step at rear module entry. AEV Tape-RS		
12-PT-0122	S < >	 -- Tape Belt Stripe: Reflective Tape	1	AEV
		Custom Layout		
12-PT-0132	S <	 -- Single Tape Belt Width: up to 8"	1	AEV
		Width of straight stripe up to 8" tall.		
12-PT-0145		 -- Tape Belt Color: Reflective Other (Please specify)	1	AEV
12-PT-0601		 -- Belt **NOT** Across Hood	1	AEV
ZZ-ZZ-ZZZZ		 --	1	AEV
12-PT-0600		-- Paint Belt: NONE	1	AEV
12-PT-1010	S	 --	1	AEV
12-PT-RF01	< >	-- Roof Paint: Color and finish quality to be GLOSSY	1	AEV
		The roof shall be painted, with a glossy finish, but not sanded and buffed.		
ZZ-ZZ-ZZZZ		--	1	AEV
12-PT-1000	S	Pin Stripe: 1/4" black reflective pinstripe	1	AEV
12-ZZ-ZZZZ		--	1	AEV
12-PT-1316	S >	 -- Rear Doors Only : Please define	1	AEV
12-PT-1332	S <	 -- Rear Kickplate	1	AEV
		smooth aluminum...no dots		
12-PT-1336	S <	 -- Rear Kickplate Double Color - To make two color Chevron	1	AEV
		kickplated panel diamond grade red and yellow		
12-PT-1380	S	 --	1	AEV
12-PT-1382	S	 --	1	AEV
12-PT-135A	S <	 -- Inside of (3) Entry Doors: Center Handle Panels, Double Colors,	1	AEV
		Diamond Grade re		
		entry door lower panels 2 color red and yellow diamond grade		
12-PT-1380		 -- Main Color - Must State Main Color	1	AEV
12-PT-1382		 -- Second Color - Must State Second Color	1	AEV
12-PT-2010	>	Lettering: Noted As Described Below Call for Quote	1	AEV
12-PT-2020		 -- Lettering Size:	1	AEV
12-PT-2030		 -- Lettering Color	1	AEV
12-PT-2032		 -- Lettering Shadow: NONE	1	AEV
12-PT-2040		 -- Lettering Font:	1	AEV
12-PT-2050		 -- Unit Number:	1	AEV
12-PT-DRIP	<	Drip Rails: Bright Aluminum, De-burred and rounded corners	1	AEV
		Include a drip rail over the C/S Entry Door.		
12-ZZ-ZZZZ			1	AEV
DETAIL - SHIP LOOSE ITEMS			1	AEV
12-PT-DRIZ	<	-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information	1	AEV
		Include a drip rail over the C/S Entry Door.		
13-00-0200		-- *Check front of W/O under chassis section for Add'l items*	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
ZZ-ZZ-ZZZZ		--	1	AEV
13-10-XM00		-- Owner's Manual DVD ship loose	1	AEV
13-10-XMA0		-- Printed Owner's Manual Not Required	1	AEV
34-OS-1400		-- Amico O2 Minder, Transducer: NONE	1	AEV
13-00-0001			1	AEV
13-GL-0000		Glove Holder, Ship Loose: NONE	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-KK-KDEC		Decals: KKK / DOT Pkg, Blue/White reflective - Ship Loose	1	AEV
13-RF-STAS		-- Decals: 32" Star of Life - Ship Loose	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-KK-NSSB		Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-KL-0010		AEV Logos: Installed on unit per AEV standard locations	1	AEV
13-MH-05ST	<	Fire Extinguisher, 5 pound, shipped loose, Std AEV Part No: EXTI-01	1	AEV
13-MH-10A0	<	Reflector Pkg: Body - 2ea, Side Fr Amber, Side Re Red, Rear Stick-on reflectors: Peterson "Spitfire" B484R and B484A LOCATIONS: In lower corners of module (2) - (1) each side and Front - AMBER (2) - (1) each side and Rear - RED (2) - On Rear of body - RED	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-SB-0003		Post And Wheel Cups: NONE	1	AEV
13-SP-TIRE		Spare Tire: Refer To Chassis Section to See if it gets one.	1	AEV
34-XX-0001		Primary Cot: NONE included	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
34-XX-0002		Secondary Stretcher: NONE included	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
34-XX-5000	<	Indemnification Statement The purchaser agrees to defend, indemnify and hold AEV harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the Purchased Products OR use of product for purposes it was not designed or intended for.	1	AEV
		== 172 x 96 T-1 LWB Ford X Base Price - 0.000 02/07/11 ==	1	AEV
		GENERAL CONVERSION	1	AEV
04-00-0009	S	 -- Alexis Delivery Fee	1	AEV
36-AA-0001		WORK ORDER STATUS:	1	AEV
00-90-0301		-- For Confirmation	1	AEV
36-CO-0001		-- CHANGE ORDER POLICY	1	AEV
36-CO-0010	<	-- After Confirmation, Prior to Engineering Change Fee is \$50 Per Item, Plus Option Cost	1	AEV
36-CO-0020	<	-- After Confirmation, After Engineering Start Change Fee is \$100 Per Item, Plus 150% Option Cost Special order or non-stocking parts that are purchased for any ordered option that is subsequently deleted will be charged for and shipped loose.	1	AEV
36-CO-0030	<	-- After Confirmation, After Production Start Change Fee is \$100 Per Item, Plus 200% Option Cost Special order or non-stocking parts that are purchased for any ordered option that is subsequently deleted will be charged for and shipped loose.	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
36-EO-0001		-- ***END OF ORDER***	1	AEV

