

Quoted  
By:

**Jet Vac Environmental**

**4035 Doheny Dr.**

Island Lake, IL 60042

(847) 526-5671

www.jetvacenvironmental.com

Quoted To:

**Village of Oak Park**

**201 South Blvd**

Oak Park, IL 60302

Ken Crowley

[kcrowley@oak-park.us](mailto:kcrowley@oak-park.us)



Quote # 82621

Date: 1/31/2022

Expires: 3/31/2022

Sales Rep: Shane Albert 815-677-5444

**Multihog CV 350 Compact Sweeper**

697-2120	1	<p>CV 350 Sweeper 75HP Tier IV diesel engine  Gross vehicle weight 3500kg  Permanent 4 wheel hydrostatic drive  3 speed transmission  2 drive modes – Road and Work  Independent spring and damper suspension  Spacious, panoramic driver cab with cushioned mounting system  High Back Air Suspension driver seat with 3-point seatbelt and head rest,  Adjustable Seat mounted, multifunction control armrest with twin miniature joysticks for ease of operation and control for improved driver comfort.  7" high resolution colour screen with anti-glare technology  Low level of vibration.  Low driver noise level.  Rear view mirrors.  40kmh travel speed  150 amp alternator  Disk brakes  Multi-disc parking brakes with automatic activation upon leaving the driver seat or turning the engine off.  Adjustable steering with 2 tilt adjustments of steering column and telescopic height adjustment of steering wheel.  Interior lightVariable flow load sensing hydraulic supply, 0 -100 litres per min with a maximum 225 bar pressure depending on flow setting. (See flow/ pressure graph for exact flow and pressure capability).  Maximum flow to front is 100 l/m,  Maximum flow to rear is 60 l/m.  Combined Maximum flow to front and rear is 100 l/m  2 double acting hydraulic functions to the front  1 double acting hydraulic function to the rear  Front mounted hydraulic lift arms with independent controls and 750kg combined lift capacity  Emergency release brake system, to override parking brake and allow movement of machine in the event of breakdown.  Heavy duty cooling system for engine, charge air and oil cooling with twin variable speed fans.  On Board Diagnostics Hopper,  1.5m<sup>3</sup> Vacuum Hopper  Suction Hood and Suction hose</p>	New		
----------	---	---	-----	--	--

Color					
697-2121	1	Standard - White Removable Panels, Black Chassis, Cabin and Tanks	New		
Additional Options					
697-2104	1	Upgrade to High Back Air Suspension driver seat with 3-point seatbelt, heated base and back support, adjustable lumbar support, head rest and document pouch.	New		
697-2105	1	Heated Rear View Mirrors	New		
697-2086	1	Cruise Control	New		
697-2080	1	In-cab, electronic ground pressure control for front mounted sweeping	New		
697-2070	1	High pressure wash-down Pump and Lance with retractable hose reel. Hose length-10m. Maximum pressure -170 bar. Maximum flow-22 l/m.	New		
697-2071	1	4x4 Central Lock	New		
697-2072	1	Heated windscreen	New		
697-2073	1	LED front work lights	New		
697-2108	1	LED rear cabin work lights	New		
697-2074	1	LED rear hopper work lights	New		
697-2075	1	3 Camera kit. - Reversing Camera with camera mounted on rear of hopper lid, a second camera to the front of the suction hood and a third camera to the rear of the suction hood	New		
697-2077	1	LED flashers front	New		
697-2078	1	LED flashers rear	New		
697-2079	1	LED flashers mounted on rear of suction hopper	New		
697-2085	1	Rain water drain (hose pipe connection to recirculating tank drain valve)	New		
697-2065	1	Wander hose (5 metres) requires access doors 697-2297	New		
697-2088	1	Vacuum gauge mounted in driver's cabin	New		
697-2297	1	Wander hose access doors (black colour panels RAL9005?)	New		
697-2151	1	Standard Brush Arrm assembly (Pair)	New		
697-2153	1	Front Attachment Harness	New		
697-2082	1	Clean water low level indicator	New		
697-1248	1	Hopper hand pump	New		
697-2090	1	Frame to demount suction hopper from machine	New		
697-2142	1	Front A-Frame adaptor to carry front mounted attachments Cat 0 Kommunal	New		
Gross Vehicle Weight					
697-2092	1	Increased 4000 kg (8,818 lbs) gross vehicle weight	New		
Tire Options					
697-1206 + 697-1098	1	BFG All Terrain LT245/75/16 tyres with narrow mudguards Machine width 1300 mm (51") Maximum Axle Load 2432 kg	New		
Additional Mudguards					
697-2114	1	Additional intermediate mudguards and support plates (set of 4)	New		
Brush Options					
697-2128	2	900mm Poly/steel mix brush	New		
				<b>Total:</b>	<b>\$137,712.55</b>

**ADDITIONAL OPTIONS NOT INCLUDED IN PRICE**

697-1282	Straight Angle Plow	New	\$4,035.00
FKM 1310	Rotary Broom	New	\$6,645.00
FWS 200XL	1/2 Cubic Yard Drop Spreader with frame and a hydraulic tilting dump body	New	\$13,060.00

Total \$ 161,452.55



**Multihog**<sup>®</sup>



Contract # 030619-MUL

**CUSTOMER APPROVAL:**

<b>Company Name:</b>	<b>Sourcewell #:</b>	<b>P.O.#:</b>
	70186	

**Delivery Address:**

<b>Signature:</b>	<b>Title:</b>	<b>Date:</b>

Please sign and return to:  
sales@jetvacenvironmental.com